

FCC17A15PC650

FCC17A15PC650 Information

Containance com	 FCC17A15PC650 Amphenol Commercial Products Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 15POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FCC17A15PC650 Specifications

Manufacturer Part NumberFCC17A15PC650ManufacturerAmphenol Commercial ProductsCategoryConnectors, InterconnectsDackage-Package-SeriesFCC17Connector StyleD-Sub ConnectorsConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector LayoutSignalMounting TypeHousing/Shell (M3)FaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishStell, Tin PlatedContact FinishSignalMaterial FinishStell, Tin PlatedMaterial FinishStell, Tin PlatedMaterial Finish ThicknessJun (0.38µm)Ingress Protection-Material Flammability RatingeHU 4y Yo		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesFCC17Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector LayoutQ(DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureBoard Lock, Filter, Grounding IndentsFeaturesSolderShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15Ingress Protection-	Manufacturer Part Number	FCC17A15PC650
PackageD-Sub ConnectorsPackage-SeriesFCC17Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureBoard Lock, Filter, Grounding IndentsShell Material, FinishStell, Tin PlatedContact FinishGoldContact Finish Thickness.Ingress Protection.	Manufacturer	Amphenol Commercial Products
Package.SeriesFCC17Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeHousing/Shell (M3)Flange FeatureSolderFeaturesSolderFeaturesSolderShell Material, FinishStell, Tin PlatedContact FinishGoldContact FinishSienalShell Material, FinishSienalForture SimpleSienal (Sienal)Forture SimpleSienal (Sienal)Shell Material, FinishSienal (Sienal)Contact FinishSienal)Shell Stell Sienal)Sienal)Stell Sienal)Sienal)Stell Sienal)	Category	Connectors, Interconnects
SeriesFCC17Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeHousing/Shell (M3)Flange FeatureSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishStell, Tin PlatedContact Finish ThicknessGoldIngress Protection:		D-Sub Connectors
Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish ThicknessJojin (0.38µm)Ingress Protection5	Package	-
Connector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesSolderShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15 (DA, Sagma)Ingress Protection-	Series	FCC17
Number of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldIngress Protection-	Connector Style	D-Sub
Number of Rows2Number of Rows2 (DA, A)Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleHange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness15µin (0.38µm)Ingress Protection-	Connector Type	Plug, Male Pins
Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Number of Positions	15
Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish ThicknessGoldIngress Protection-	Number of Rows	2
Mounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish ThicknessI5µin (0.38µm)Ingress Protection-	Shell Size, Connector Layout	2 (DA, A)
Flange FeatureHousing/Shell (M3)TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Contact Type	Signal
TerminationSolderFeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Mounting Type	Through Hole, Right Angle
FeaturesBoard Lock, Filter, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Flange Feature	Housing/Shell (M3)
Shell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Termination	Solder
Contact FinishGoldContact Finish Thickness15µin (0.38µm)Ingress Protection-	Features	Board Lock, Filter, Grounding Indents
Contact Finish Thickness15µin (0.38µm)Ingress Protection-	Shell Material, Finish	Steel, Tin Plated
Ingress Protection -	Contact Finish	Gold
-	Contact Finish Thickness	15µin (0.38µm)
Material Flammability Rating UI.94 V-0	Ingress Protection	-
	Material Flammability Rating	UL94 V-0
Report errors?		Report errors?

FCC17A15PC650 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

FCC17A15PC650 Payment Methods



FCC17A15PC650 Shipping Methods



If you have any question about FCC17A15PC650, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com