

**FCP2416H124J-D1 Information**


For Reference Only

**Part Number** [FCP2416H124J-D1](#)  
**Manufacturer** Cornell Dubilier Electronics (CDE)  
**Category** Capacitors  
[Film Capacitors](#)  
**Description** CAP FILM 0.12UF 5% 50VDC 2416  
**Package** 2416 (6041 Metric)  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)


[Request a Quote](#)
**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**FCP2416H124J-D1 Specifications**

Manufacturer Part Number	<a href="#">FCP2416H124J-D1</a>
Manufacturer	Cornell Dubilier Electronics (CDE)
Category	Capacitors <a href="#">Film Capacitors</a>
Package	2416 (6041 Metric)
Series	FCP
Capacitance	0.12 $\mu$ F
Tolerance	$\pm$ 5%
Voltage Rating - AC	-
Voltage Rating - DC	50V
Dielectric Material	Polyphenylene Sulfide (PPS)
ESR (Equivalent Series Resistance)	-
Operating Temperature	-55°C ~ 125°C
Mounting Type	Surface Mount
Package / Case	2416 (6041 Metric)
Size / Dimension	0.236" L x 0.161" W (6.00mm x 4.10mm)
Height - Seated (Max)	0.083" (2.11mm)
Termination	Solder Pads
Lead Spacing	-
Applications	High Frequency, Switching
Features	-

[Report errors?](#)

## FCP2416H124J-D1 Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## FCP2416H124J-D1 Payment Methods



## FCP2416H124J-D1 Shipping Methods



If you have any question about FCP2416H124J-D1, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)