



### **FKR1112H-TR Information**

Heisener.com

Part NumberFKR1112H-TRManufacturerStanley Electric CoCategoryOptoelectronics

LED Indication - Discrete

**Description** LED RED DIFFUSED SMD

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **FKR1112H-TR Specifications**

Manufacturer Part NumberFKR112H-TRManufacturerStanley Electric CoCategoryOptoelectronicsLED Indication - DiscretePackage-Series1112HColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating275mcdLens Style/SizeRectangle with Flat Top, 1.30mm x 1.25mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	1	
Category         Optoelectronics           Package         -           Series         1112H           Color         Red           Configuration         -           Lens Color         White           Lens Transparency         Diffused           Millicandela Rating         275mcd           Lens Style/Size         Rectangle with Flat Top, 1.30mm x 1.25mm           Voltage - Forward (Vf) (Typ)         2.1V           Current - Test         20mA           Viewing Angle         -           Mounting Type         -           Wavelength - Dominant         623nm           Wavelength - Peak         638nm           Features         -           Package / Case         -           Supplier Device Package         -	Manufacturer Part Number	FKR1112H-TR
Package         -           Series         1112H           Color         Red           Configuration         -           Lens Color         White           Lens Transparency         Diffused           Millicandela Rating         275mcd           Lens Style/Size         Rectangle with Flat Top, 1.30mm x 1.25mm           Voltage - Forward (Vf) (Typ)         2.1V           Current - Test         20mA           Viewing Angle         -           Mounting Type         -           Wavelength - Dominant         623nm           Wavelength - Peak         638nm           Features         -           Package / Case         -           Supplier Device Package         -	Manufacturer	Stanley Electric Co
Package         -           Series         1112H           Color         Red           Configuration         -           Lens Color         White           Lens Transparency         Diffused           Millicandela Rating         275mcd           Lens Style/Size         Rectangle with Flat Top, 1.30mm x 1.25mm           Voltage - Forward (Vf) (Typ)         2.1V           Current - Test         20mA           Viewing Angle         -           Mounting Type         -           Wavelength - Dominant         623nm           Wavelength - Peak         638nm           Features         -           Package / Case         -           Supplier Device Package         -	Category	Optoelectronics
Series         1112H           Color         Red           Configuration         -           Lens Color         White           Lens Transparency         Diffused           Millicandela Rating         275mcd           Lens Style/Size         Rectangle with Flat Top, 1.30mm x 1.25mm           Voltage - Forward (Vf) (Typ)         2.1V           Current - Test         20mA           Viewing Angle         -           Wavelength - Dominant         623nm           Wavelength - Peak         638nm           Features         -           Package / Case         -           Supplier Device Package         -		LED Indication - Discrete
ColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating275mcdLens Style/SizeRectangle with Flat Top, 1.30mm x 1.25mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Package	-
Configuration - Configuration White White Uens Color White Uens Transparency Diffused Crysmed Cases Color Cases Ca	Series	1112H
Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating275mcdLens Style/SizeRectangle with Flat Top, 1.30mm x 1.25mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Color	Red
Lens TransparencyDiffusedMillicandela Rating275mcdLens Style/SizeRectangle with Flat Top, 1.30mm x 1.25mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Configuration	-
Millicandela Rating  Lens Style/Size  Rectangle with Flat Top, 1.30mm x 1.25mm  Voltage - Forward (Vf) (Typ)  2.1V  Current - Test  20mA  Viewing Angle  - Mounting Type  - Wavelength - Dominant  623nm  Wavelength - Peak  638nm  Features  - Package / Case  Supplier Device Package  -	Lens Color	White
Lens Style/SizeRectangle with Flat Top, 1.30mm x 1.25mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Lens Transparency	Diffused
Voltage - Forward (Vf) (Typ)  Current - Test  20mA  Viewing Angle  - Mounting Type  - Wavelength - Dominant  623nm  Wavelength - Peak  638nm  Features  - Package / Case  Supplier Device Package  -  2.1V  2.1V  2.1W  2.0mA  -  4.0  -  5.10  2.1V	Millicandela Rating	275mcd
Current - Test 20mA  Viewing Angle -  Mounting Type -  Wavelength - Dominant 623nm  Wavelength - Peak 638nm  Features -  Package / Case -  Supplier Device Package -	Lens Style/Size	Rectangle with Flat Top, 1.30mm x 1.25mm
Viewing Angle-Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Voltage - Forward (Vf) (Typ)	2.1V
Mounting Type-Wavelength - Dominant623nmWavelength - Peak638nmFeatures-Package / Case-Supplier Device Package-	Current - Test	20mA
Wavelength - Dominant 623nm  Wavelength - Peak 638nm  Features - Package / Case - Supplier Device Package -	Viewing Angle	-
Wavelength - Peak 638nm  Features - Package / Case - Supplier Device Package -	Mounting Type	-
Features - Package / Case - Supplier Device Package -	Wavelength - Dominant	623nm
Package / Case - Supplier Device Package -	Wavelength - Peak	638nm
Supplier Device Package -	Features	-
	Package / Case	-
	Supplier Device Package	-
Size / Dimension -	Size / Dimension	-
Height (Max)	Height (Max)	-
Report errors?		Report errors?

#### **FKR1112H-TR Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **FKR1112H-TR Payment Methods**



















### **FKR1112H-TR Shipping Methods**













If you have any question about FKR1112H-TR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com