



FL67WL8B Information

Heisener.com

Part Number FL67WL8B

Manufacturer Bulgin

Category Optoelectronics

Panel Indicators, Pilot Lights

Description INCAND PANEL INDICATOR BLUE 24V

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FL67WL8B Specifications

Manufacturer Part Number FL67WL8B Manufacturer Bulgin Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type Incandescent Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features - Report errors?		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type Incandescent Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -	Manufacturer Part Number	FL67WL8B
Package - Series - Type Incandescent Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -	Manufacturer	Bulgin
Package - Series - Type Incandescent Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -	Category	Optoelectronics
Series - Type Incandescent Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -		Panel Indicators, Pilot Lights
TypeIncandescentLamp ColorBlueLens ColorBlueLens TransparencyDiffusedRatings-Voltage24VCurrent-Panel Cutout ShapeRoundPanel Cutout Dimensions0.50" (12.70mm)Lens Style/SizeRound with Flat TopMillicandela Rating-Viewing Angle-Termination StyleWire Leads - 8" (203.20mm)Ingress Protection-Features-	Package	-
Lamp Color Lens Color Blue Lens Transparency Diffused Ratings - Voltage 24V Current - Panel Cutout Shape Raund Panel Cutout Dimensions Lens Style/Size Round with Flat Top Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features Blue Blue Blue Blue Blue Blue Blue Blue	Series	-
Lens ColorBlueLens TransparencyDiffusedRatings-Voltage24VCurrent-Panel Cutout ShapeRoundPanel Cutout Dimensions0.50" (12.70mm)Lens Style/SizeRound with Flat TopMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination StyleWire Leads - 8" (203.20mm)Ingress Protection-Features-	Type	Incandescent
Lens TransparencyDiffusedRatings-Voltage24VCurrent-Panel Cutout ShapeRoundPanel Cutout Dimensions0.50" (12.70mm)Lens Style/SizeRound with Flat TopMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination StyleWire Leads - 8" (203.20mm)Ingress Protection-Features-	Lamp Color	Blue
Ratings - 24V Current Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating	Lens Color	Blue
Voltage 24V Current - Panel Cutout Shape Round Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -	Lens Transparency	Diffused
Current - Round Round - Round - O.50" (12.70mm) Lens Style/Size Round with Flat Top - Millicandela Rating - Current - Peak - Current - Cu	Ratings	-
Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features Round Wound Wire Leads - 8" (203.20mm) - Features	Voltage	24V
Panel Cutout Dimensions 0.50" (12.70mm) Lens Style/Size Round with Flat Top Millicandela Rating - Wavelength - Peak Viewing Angle Termination Style Wire Leads - 8" (203.20mm) Ingress Protection Features - - - - - - - - - - - - -	Current	-
Lens Style/SizeRound with Flat TopMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination StyleWire Leads - 8" (203.20mm)Ingress Protection-Features-	Panel Cutout Shape	Round
Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features - - - - - - - - - - - - -	Panel Cutout Dimensions	0.50" (12.70mm)
Wavelength - Peak Viewing Angle Termination Style Mire Leads - 8" (203.20mm) Ingress Protection Features -	Lens Style/Size	Round with Flat Top
Viewing Angle-Termination StyleWire Leads - 8" (203.20mm)Ingress Protection-Features-	Millicandela Rating	-
Termination Style Wire Leads - 8" (203.20mm) Ingress Protection - Features -	Wavelength - Peak	-
Ingress Protection - Features -	Viewing Angle	-
Features -	Termination Style	Wire Leads - 8" (203.20mm)
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

FL67WL8B Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FL67WL8B Payment Methods





















FL67WL8B Shipping Methods













If you have any question about FL67WL8B, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com