

FLE-161-01-G-DV-A

FLE-161-01-G-DV-A Information

Heisener.com	Part Number Manufacturer Category Description Package	FLE-161-01-G-DV-A Samtec Inc. Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets .050 MICRO STRIPS	
For Reference Only		For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FLE-161-01-G-DV-A Specifications

ManufacturerSamtec Inc.CategoryConnectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesFLEConnector TypeReceptacleContact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions Loaded0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypeQialOntact Finish - MatingGoldContact Finish Thickness - MatingBiack	Manufacturer Part Number	FLE-161-01-G-DV-A
CategoryConnectors, InterconnectsCategoryConnectors, Interconnects, Receptacles, Female SocketsPackage-SeriesFLEConnector TypeReceptacleContact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - MatingSolderMounting TypeSolderFreminationSolderFastening TypeGoldContact Finish - MatingGoldInsulation ColorBack		
Indext of the state of the s	Manufacturer	Samtec Inc.
Package-SeriesFLEConnector TypeReceptacleContact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountFreminationSolderFastening TypeSolderContact Finish - MatingGoldContact Finish - MatingBlack	Category	Connectors, Interconnects
SeriesFLEConnector TypeReceptacleContact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllNumber of Rows0.050" (1.27mm)Number of Rows2Row Spacing - MatingO.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldIonator Finish Thickness - MatingIopin (0.25µm)Insulation ColorBlack		Rectangular Connectors - Headers, Receptacles, Female Sockets
Connector TypeReceptacleContact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountFastening TypeSolderContact Finish - MatingGoldContact Finish - MatingBiak	Package	-
Contact TypeFemale SocketStyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountFerminationSolderFastening TypePush-PullContact Finish - MatingGoldIonater Finish - MatingBlack	Series	FLE
StyleBoard to Board or CableNumber of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldIonater Finish - Mating10µin (0.25µm)Insulation ColorBlack	Connector Type	Receptacle
Number of Positions122Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - MatingI0µin (0.25µm)Insulation ColorBlack	Contact Type	Female Socket
Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - MatingJujin (0.25µm)Insultion ColorBlack	Style	Board to Board or Cable
Pitch - Mating0.050" (1.27mm)Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldIontact Finish Thickness - MatingIoµin (0.25µm)BackBack	Number of Positions	122
Number of Rows2Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - Mating10µin (0.25µm)Insulation ColorBlack	Number of Positions Loaded	All
Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - MatingI0µin (0.25µm)Insulation ColorBlack	Pitch - Mating	0.050" (1.27mm)
Mounting TypeSurface MountTerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - Mating10µin (0.25µm)Insulation ColorBlack	Number of Rows	2
TerminationSolderFastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - Mating10µin (0.25µm)Insulation ColorBlack	Row Spacing - Mating	0.050" (1.27mm)
Fastening TypePush-PullContact Finish - MatingGoldContact Finish Thickness - Mating10µin (0.25µm)Insulation ColorBlack	Mounting Type	Surface Mount
Contact Finish - MatingGoldContact Finish Thickness - Mating10μin (0.25μm)Insulation ColorBlack	Termination	Solder
Contact Finish Thickness - Mating10μin (0.25μm)Insulation ColorBlack	Fastening Type	Push-Pull
Insulation Color Black	Contact Finish - Mating	Gold
	Contact Finish Thickness - Mating	10μin (0.25μm)
$I_{\text{result}} = I_{\text{result}} = I_{\text{result}$	Insulation Color	Black
insulation Height $0.1/2$ (4.5/mm)	Insulation Height	0.172" (4.37mm)
Contact Length - Post -	Contact Length - Post	-
Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$	Operating Temperature	-55°C ~ 125°C
Material Flammability Rating -	Material Flammability Rating	-

Contact Finish - Post	Gold		
Mated Stacking Heights	-		
Ingress Protection	-		
Features	Board Guide		
		D	0

Report errors?

FLE-161-01-G-DV-A Guarantees



Quality Guarantees


We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

FLE-161-01-G-DV-A Payment Methods



If you have any question about FLE-161-01-G-DV-A, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com