



FLSR100.VXID Information

Heisener.com

Part Number FLSR100.VXID Manufacturer Littelfuse Inc. Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CRTRDGE 100A 600VAC/300VDC

Package Cylindrical, Blade Terminals

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FLSR100.VXID Specifications

Manufacturer Part Number Manufacturer Littelfuse Inc. Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminals Series POWR-GARD? FLSR_ID Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Littelfuse Inc. Circuit Protection Electrical, Specialty Fuses Fuse in Apploacity Littelfuse Inc. Circuit Protection Electrical, Industrial Features CE, CSA, QPL, UL Operating Temperature Freaking Capacity @ Rated Voltage Holder Cylindrical, Blade Terminals Size / Dimension Report errors?		
Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminals Series POWR-GARD? FLSR_ID Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension Cilana Capacity @ Rated Voltage Cylindrical, Blade Terminals Size / Dimension Cilana Capacity @ Rated Voltage Cylindrical, Blade Terminals Size / Dimension Cylindrical Capacity & San	Manufacturer Part Number	FLSR100.VXID
Electrical, Specialty Fuses Package Cylindrical, Blade Terminals POWR-GARD? FLSR_ID Fuse Type Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Electrical, Blade Terminals Size / Dimension Electrical, Blade Terminals Size / Dimension Electrical, Blade Terminals Size / Dimension	Manufacturer	Littelfuse Inc.
Package Cylindrical, Blade Terminals Series POWR-GARD? FLSR_ID Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage 200kA AC, 20kA DC Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Category	Circuit Protection
Series POWR-GARD? FLSR_ID Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage 200kA AC, 20kA DC Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 100A Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Cartridge 100A Convertinge 100A 100A 100A 100A 100A 100A 100A 100	Package	Cylindrical, Blade Terminals
Current Rating Voltage Rating - AC 600V Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Series	POWR-GARD? FLSR_ID
Voltage Rating - AC Voltage Rating - DC 300V Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 600V 600	Fuse Type	Cartridge
Voltage Rating - DC Response Time Slow Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 300V 300V 300V 300V 300V 300V 400 8100 8100 8100 8100 8100 8100 8100	Current Rating	100A
Response Time Applications Electrical, Industrial Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Slow Electrical, Industrial CE, CSA, QPL Holder - CE, CSA, QPL, UL - CE, CSA, QPL	Voltage Rating - AC	600V
Applications Electrical, Industrial Features Indicating RK5 Approvals CE, CSA, QPL, UL Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Electrical, Industrial Electrical, Industrial Electrical, Industrial RK5 CE, CSA, QPL, UL - CE, CSA, QPL -	Voltage Rating - DC	300V
Features Indicating Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage 200kA AC, 20kA DC Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Response Time	Slow
Class RK5 Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage 200kA AC, 20kA DC Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Applications	Electrical, Industrial
Approvals CE, CSA, QPL, UL Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension CE, CSA, QPL, UL CHARACTER OF THE PLANT OF THE PL	Features	Indicating
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Class	RK5
Breaking Capacity @ Rated Voltage 200kA AC, 20kA DC Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Approvals	CE, CSA, QPL, UL
Mounting Type Holder Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminals Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Breaking Capacity @ Rated Voltage	200kA AC, 20kA DC
Size / Dimension 1.311" Dia x 7.874" L (33.30mm x 200.00mm)	Mounting Type	Holder
	Package / Case	Cylindrical, Blade Terminals
Report errors?	Size / Dimension	1.311" Dia x 7.874" L (33.30mm x 200.00mm)
		Report errors?

FLSR100.VXID Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FLSR100.VXID Payment Methods



















FLSR100.VXID Shipping Methods













If you have any question about FLSR100.VXID, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com