

FNQ-6

FNQ-6 Information



For Reference Only

| Part Number | FNQ-6 | |
|--------------|--|--|
| Manufacturer | Eaton | |
| Category | Circuit Protection Electrical, Specialty Fuses | |
| Description | FUSE CARTRIDGE 6A 500VAC 5AG | |
| Package | 5AG, 10mm x 38.1mm | |
| | For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com | |



Request a Quote

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FNQ-6 Specifications

| ManufacturerEaManufacturerCircuit ProtectionCategoryCircuit ProtectionElectrical, Specialty FusesPackage5AG, 10mm x 38.1mmSeriesFNQFuse TypeCartridgeCurrent Rating6AVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating TemperatureIokAManufactureIokAManufacturesSon, 10mm x 38.1mm | | |
|---|-----------------------------------|---|
| CategoryCircui ProtectionCategoryElectrical, Specialty FusesPackageSAG, 10mm x 38.1mmPackageFNQFuse TypeCartridgeCurrent Rating6AVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating TemperatureIokAMounting TypeHolderPackage / CaseSAG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Manufacturer Part Number | FNQ-6 |
| ConstructionElectrical, Specialty FusesPackage5AG, 10mm x 38.1mmSeriesFNQFuse TypeCartridgeCurrent Rating6AVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating TemperatureIokAMounting TypeHolderPackage / CaseSAG, 10mm x 38.1mmSize / Dimension0,406" Dia x 1.500" L (10.30mm x 38.10mm) | Manufacturer | Eaton |
| Package5AG, 10mm x 38.1mmSeriesFNQFuse TypeCartridgeFuse Type6ACurrent Rating6OVVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated VoltageIdkAMounting TypeHolderPackage / CaseSAG, 10mm x 38.1mmSize / Dimension0,406" Dia x 1.500" L (10.30mm x 38.10mm) | Category | Circuit Protection |
| SeriesFNQFuse TypeCartridgeCurrent Rating6AVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature10kAMounting TypeHolderPackage / CaseSAG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | | Electrical, Specialty Fuses |
| Fuse TypeCartridgeCurrent Rating6AVoltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature10kABreaking Capacity @ Rated VoltageHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Package | 5AG, 10mm x 38.1mm |
| Current Rating6ACurrent Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Series | FNQ |
| Voltage Rating - AC500VVoltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Fuse Type | Cartridge |
| Voltage Rating - DC-Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Current Rating | 6A |
| Response TimeSlowApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeFolderPackage / CaseSAG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Voltage Rating - AC | 500V |
| ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, CSA, ULOperating Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Voltage Rating - DC | - |
| InFeatures-Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Response Time | Slow |
| Class-ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Applications | Electrical, Industrial |
| ApprovalsCE, CSA, ULOperating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Features | - |
| Operating Temperature-Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Class | - |
| Breaking Capacity @ Rated Voltage10kAMounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Approvals | CE, CSA, UL |
| Mounting TypeHolderPackage / Case5AG, 10mm x 38.1mmSize / Dimension0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Operating Temperature | - |
| Package / Case 5AG, 10mm x 38.1mm Size / Dimension 0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Breaking Capacity @ Rated Voltage | 10kA |
| Size / Dimension 0.406" Dia x 1.500" L (10.30mm x 38.10mm) | Mounting Type | Holder |
| | Package / Case | 5AG, 10mm x 38.1mm |
| Report errors? | Size / Dimension | 0.406" Dia x 1.500" L (10.30mm x 38.10mm) |
| | | Report errors? |

FNQ-6 Guarantees



If you have any question about FNQ-6, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com