

FOLC-116-M1-L-Q

FOLC-116-M1-L-Q Information

Heisener.com	Part Number Manufacturer Category Description	FOLC-116-M1-L-Q Samtec Inc. Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets .050" X .050 SOCKET STRIP	
	Package	-	
		For the pricing/inventory/lead time, please contact us	
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FOLC-116-M1-L-Q Specifications

ManufacturerSamtec Inc.CategoryConnectors, InterconnectsRectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesFOURRAY? FOLCConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllNumber of Rows4Row Spacing - Mating0.050" (1.27mm)Number of RowsSurface Mount, Through HoleNounting TypeSurface Mount, Through HoleFerninationSolder		
CategoryConnectors, InterconnectsRectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesFOURRAY? FOLCConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Rows4Number of Rows0.050" (1.27mm)Number of Nating0.050" (1.27mm)Number of NatingSurface Mount, Through HoleNumber of PositionsSurface Mount, Through HoleRow Spacing - MatingSurface Mount, Through HoleFerninationSuderFastening TypePush-Pull	Manufacturer Part Number	FOLC-116-M1-L-Q
Rectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesFOURRAY? FOLCConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleFerminationSolderFastening TypePush-Pull	Manufacturer	Samtec Inc.
Package-SeriesFOURRAY? FOLCConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleFerminationSolderPush-PullPush-Pull	Category	Connectors, Interconnects
SeriesFOURRAY? FOLCSeriesReceptacleConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleFastening TypePush-Pull		Rectangular Connectors - Headers, Receptacles, Female Sockets
Connector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleFastening TypePush-Pull	Package	-
Contact TypeFemale SocketStyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Series	FOURRAY? FOLC
StyleBoard to BoardNumber of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Connector Type	Receptacle
Number of Positions64Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Contact Type	Female Socket
Number of Positions LoadedAllPitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Style	Board to Board
Pitch - Mating0.050" (1.27mm)Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Number of Positions	64
Number of Rows4Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Number of Positions Loaded	All
Row Spacing - Mating0.050" (1.27mm)Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Pitch - Mating	0.050" (1.27mm)
Mounting TypeSurface Mount, Through HoleTerminationSolderFastening TypePush-Pull	Number of Rows	4
TerminationSolderFastening TypePush-Pull	Row Spacing - Mating	0.050" (1.27mm)
Fastening Type Push-Pull	Mounting Type	Surface Mount, Through Hole
	Termination	Solder
	Fastening Type	Push-Pull
Contact Finish - Mating Gold	Contact Finish - Mating	Gold
Contact Finish Thickness - Mating 10µin (0.25µm)	Contact Finish Thickness - Mating	10μin (0.25μm)
Insulation Color Black	Insulation Color	Black
Insulation Height 0.185" (4.70mm)	Insulation Height	0.185" (4.70mm)
Contact Length - Post 0.075" (1.91mm)	Contact Length - Post	0.075" (1.91mm)
Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$	Operating Temperature	-55°C ~ 125°C
Material Flammability Rating UL94 V-0	Material Flammability Rating	UL94 V-0

Contact Finish - Post	Tin
Mated Stacking Heights	-
Ingress Protection	-
Features	-
	Report errors?

FOLC-116-M1-L-Q Guarantees



Quality Guarantees


We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

FOLC-116-M1-L-Q Payment Methods



If you have any question about FOLC-116-M1-L-Q, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com