



## **FSM02DSEN Information**

Heisener.com

Part Number FSM02DSEN

ManufacturerSullins Connector SolutionsCategoryConnectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FEMALE 4POS 0.156

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### **FSM02DSEN Specifications**

Manufacturer Part Number         FSM02DSEN           Manufacturer         Sullins Connector Solutions           Category         Connectors, Interconnects           Package         -           Series         -           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         2           Number of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish         Gold           Contact Finish Thickness         10µin (0.25µm)           Cotact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C	15W102D5LIV Specifications	
Category         Connectors, Interconnects           Package         -           Series         -           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         2           Vumber of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish         Gold           Contact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C	Manufacturer Part Number	FSM02DSEN
Package - Series - Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 2 Number of Positions Agy Row 2 Number of Rows 10.062" (1.57mm) Number of Rows 2 Pitch 10.156" (3.96mm) Features - Nounting Type Free Hanging (In-Line) Termination Solder Eyelet(s) Contact Material Spinodal Contact Finish Agriculture Agy Row Agriculture Ag	Manufacturer	Sullins Connector Solutions
Package         -           Series         -           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         2           Number of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish         Gold           Contact Finish Thickness         10µin (0.25µm)           Contact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C	Category	Connectors, Interconnects
Series         -           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         2           Number of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish         Gold           Contact Finish Thickness         10μin (0.25μm)           Contact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C		Card Edge Connectors - Edgeboard Connectors
Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         2           Number of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish Thickness         10μin (0.25μm)           Contact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C	Package	-
Gender         Female           Number of Positions/Bay/Row         2           Number of Positions         4           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.156" (3.96mm)           Features         -           Mounting Type         Free Hanging (In-Line)           Termination         Solder Eyelet(s)           Contact Material         Spinodal           Contact Finish         Gold           Contact Finish Thickness         10μin (0.25μm)           Cotact Type         Full Bellows           Color         Green           Flange Feature         -           Operating Temperature         -65°C ~ 200°C	Series	-
Number of Positions/Bay/Row  2 Number of Positions  4 Card Thickness  0.062" (1.57mm)  Number of Rows  2 Pitch  0.156" (3.96mm)  Features  - Mounting Type  Free Hanging (In-Line)  Termination  Solder Eyelet(s)  Contact Material  Spinodal  Contact Finish  Gold  Contact Finish Thickness  10µin (0.25µm)  Contact Type  Full Bellows  Color  Flange Feature  - Operating Temperature  -65°C ~ 200°C	Card Type	Non Specified - Dual Edge
Number of Positions4Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeFree Hanging (In-Line)TerminationSolder Eyelet(s)Contact MaterialSpinodalContact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Gender	Female
Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.156" (3.96mm)  Features - Mounting Type Free Hanging (In-Line)  Termination Solder Eyelet(s)  Contact Material Spinodal  Contact Finish Thickness 10µin (0.25µm)  Contact Type Full Bellows  Color Green  Flange Feature - 65°C ~ 200°C	Number of Positions/Bay/Row	2
Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeFree Hanging (In-Line)TerminationSolder Eyelet(s)Contact MaterialSpinodalContact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Number of Positions	4
Pitch0.156" (3.96mm)Features-Mounting TypeFree Hanging (In-Line)TerminationSolder Eyelet(s)Contact MaterialSpinodalContact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Card Thickness	0.062" (1.57mm)
Features  Mounting Type Free Hanging (In-Line)  Termination Solder Eyelet(s)  Contact Material Spinodal Contact Finish Contact Finish Thickness 10μin (0.25μm)  Contact Type Full Bellows  Color Green  Flange Feature Operating Temperature  -65°C ~ 200°C	Number of Rows	2
Mounting TypeFree Hanging (In-Line)TerminationSolder Eyelet(s)Contact MaterialSpinodalContact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Pitch	0.156" (3.96mm)
TerminationSolder Eyelet(s)Contact MaterialSpinodalContact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Features	-
Contact MaterialSpinodalContact FinishGoldContact Finish Thickness $10\mu$ in $(0.25\mu$ m)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature $-65^{\circ}$ C ~ $200^{\circ}$ C	Mounting Type	Free Hanging (In-Line)
Contact FinishGoldContact Finish Thickness10μin (0.25μm)Contact TypeFull BellowsColorGreenFlange Feature-Operating Temperature-65°C ~ 200°C	Termination	Solder Eyelet(s)
Contact Finish Thickness $10\mu in (0.25\mu m)$ Contact Type Full Bellows Color Green Flange Feature - $65^{\circ}C \sim 200^{\circ}C$	Contact Material	Spinodal
Contact Type  Full Bellows  Color  Green  Flange Feature  Operating Temperature  Full Bellows  Green	Contact Finish	Gold
Color Green  Flange Feature -65°C ~ 200°C	Contact Finish Thickness	10μin (0.25μm)
Flange Feature - Operating Temperature -65°C ~ 200°C	Contact Type	Full Bellows
Operating Temperature $-65^{\circ}\text{C} \sim 200^{\circ}\text{C}$	Color	Green
	Flange Feature	-
Report errors?	Operating Temperature	-65°C ~ 200°C
*		Report errors?

### **FSM02DSEN Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **FSM02DSEN Payment Methods**



















### **FSM02DSEN Shipping Methods**













If you have any question about FSM02DSEN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com