



FSM4JSMA Information



For Reference Only

Part Number FSM4JSMA

Manufacturer TE Connectivity ALCOSWITCH Switches

Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 24V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FSM4JSMA Specifications

Manufacturer Part Number FSM4JSMA Manufacturer TE Connectivity ALCOSWITCH Switches Category Switches Package - Series FSMJSMA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 24VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection -		
CategorySwitchesPackage-SeriesFSMISMACircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 24VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical5.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gf	Manufacturer Part Number	FSM4JSMA
Package - Series FSMJSMA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 24VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Unength, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) Operating Fore 16SMJSMA FSMJSMA SPST-NO SP	Manufacturer	TE Connectivity ALCOSWITCH Switches
Package - Series FSMJSMA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 24VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) Operating Force 1605	Category	Switches
Series FSMJSMA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 24VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) Operating Force 1605		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 24VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 160gf	Package	-
Switch Function Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline G.00mm x 6.00mm Illumination Illumination Type, Color Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Off-Mom Style O.05A @ 24VDC Standard Actuator Sundard Surface Mount 5.00mm 6.00mm 6.00mm 7 op Actuated 6.00mm x 6.00mm Non-Illuminated Illumination Illumination Type, Color Illumination Voltage (Nominal) - Operating Force	Series	FSMJSMA
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline G.00mm x 6.00mm Illumination Illumination Type, Color Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 0.05A @ 24VDC Standard Sundard Surface Mount Surface	Circuit	SPST-NO
Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf	Switch Function	Off-Mom
Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.00mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf	Contact Rating @ Voltage	0.05A @ 24VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Common Top Actuated Termination Style Outline Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 5.00mm Top Actuated Gull Wing 6.00mm x 6.00mm 1.00mm 1	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 160gf	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf	Actuator Height off PCB, Vertical	5.00mm
Termination Style Gull Wing Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf	Actuator Length, Right Angle	-
Outline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gf	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gf	Termination Style	Gull Wing
Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal) - Operating Force 160gf	Illumination	Non-Illuminated
Operating Force 160gf	Illumination Type, Color	-
	Illumination Voltage (Nominal)	-
Ingress Protection -	Operating Force	160gf
	Ingress Protection	-
Features -	Features	-
Report errors?		Report errors?

FSM4JSMA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FSM4JSMA Payment Methods





















FSM4JSMA Shipping Methods













If you have any question about FSM4JSMA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com