

#### **FWJ-40A Information**

Heisener.com

Part Number FWJ-40A
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE 40AMP 1000V AC SEMI-COND

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **FWJ-40A Specifications**

Manufacturer Part NumberFWJ-40AManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesFWJFuse TypeCartridgeCurrent Rating40AVoltage Rating - AC1000V (1kV)Voltage Rating - DC800VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage25kA AC, 50kA DCMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.940" Dia x 3.110" L (23.88mm x 79.00mm)		
Category Electrical, Specialty Fuses  Package Cylindrical, Blade Terminal (Bolt)  Fuse Type Cartridge Current Rating Voltage Rating - AC Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals Cet, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt)  Circuit Protection Electrical, Specialty Fuses  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  Circuit Protection Electrical, Specialty Fuses  Cartridge Cartri	Manufacturer Part Number	FWJ-40A
Flectrical, Specialty Fuses  Package Cylindrical, Blade Terminal (Bolt) Series FWJ Fuse Type Cartridge Current Rating 40A Voltage Rating - AC 1000V (1kV) Voltage Rating - DC 800V Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Electrical, Blade Terminal (Bolt) Size / Dimension  Oydon Dia x 3.110" L (23.88mm x 79.00mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesFWJFuse TypeCartridgeCurrent Rating40AVoltage Rating - AC1000V (1kV)Voltage Rating - DC800VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage25kA AC, 50kA DCMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Category	Circuit Protection
SeriesFWJFuse TypeCartridgeCurrent Rating40AVoltage Rating - AC1000V (1kV)Voltage Rating - DC800VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage25kA AC, 50kA DCMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.940" Dia x 3.110" L (23.88mm x 79.00mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating40AVoltage Rating - AC1000V (1kV)Voltage Rating - DC800VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage25kA AC, 50kA DCMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 1000V (1kV)  Voltage Rating - DC 800V  Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  40A 40A 40A 40A 40A 40A 40A 40A 40A 40	Series	FWJ
Voltage Rating - AC  Voltage Rating - DC  800V  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  CE, UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1000V (1kV)  800V  800V  800V  Electrical, Industrial  - CE, UR  CE, UR  CE, UR  CYLING  CE, UR  CYLING  C	Fuse Type	Cartridge
Voltage Rating - DC  Response Time - Applications Electrical, Industrial  Features - Class - Approvals CE, UR  Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  800V  800V  800V  800V  800V  800V  600  600	Current Rating	40A
Response Time - General Features - General Feature	Voltage Rating - AC	1000V (1kV)
Applications Electrical, Industrial  Features - Class - Approvals CE, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 25kA AC, 50kA DC  Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Voltage Rating - DC	800V
Features - Class - Class - CE, UR  Approvals CE, UR  Operating Temperature - Streaking Capacity @ Rated Voltage 25kA AC, 50kA DC  Mounting Type Bolt  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Response Time	-
Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 25kA AC, 50kA DC Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Applications	Electrical, Industrial
Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 25kA AC, 50kA DC Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  25kA AC, 50kA DC  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Class	-
Breaking Capacity @ Rated Voltage 25kA AC, 50kA DC  Mounting Type Bolt  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Approvals	CE, UR
Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Breaking Capacity @ Rated Voltage	25kA AC, 50kA DC
Size / Dimension 0.940" Dia x 3.110" L (23.88mm x 79.00mm)	Mounting Type	Bolt
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.940" Dia x 3.110" L (23.88mm x 79.00mm)
		Report errors?

#### **FWJ-40A Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **FWJ-40A Payment Methods**



















### **FWJ-40A Shipping Methods**













If you have any question about FWJ-40A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com