

FX532B-10.000 Information



For Reference Only

Part Number FX532B-10.000 **Manufacturer** Fox Electronics

Category Crystals, Oscillators, Resonators

Crystals

Description CRYSTAL 10.0000MHZ 20PF SMD

Package 4-SMD, No Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FX532B-10.000 Specifications

Manufacturer Part Number FX532B-10.000 Manufacturer Fox Electronics Category Crystals, Oscillators, Resonators Package 4-SMD, No Lead Series FX532B Type MHz Crystal Frequency 10MHz Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	•	
Category Crystals Package 4-SMD, No Lead Series FX532B Type MHz Crystal Frequency 10MHz Frequency Stability 5-50ppm Frequency Tolerance Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Operating Temperature 1-10°C ~ 60°C Ratings	Manufacturer Part Number	FX532B-10.000
Package 4-SMD, No Lead Series FX532B Type MHz Crystal Frequency 10MHz Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Manufacturer	Fox Electronics
Package 4-SMD, No Lead Series FX532B Type MHz Crystal Frequency 10MHz Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Category	Crystals, Oscillators, Resonators
Series FX532B Type MHz Crystal Frequency 10MHz Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)		Crystals
Type MHz Crystal Frequency 10MHz Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Package	4-SMD, No Lead
Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Series	FX532B
Frequency Stability ±50ppm Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Туре	MHz Crystal
Frequency Tolerance ±50ppm Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Frequency	10MHz
Load Capacitance 20pF ESR (Equivalent Series Resistance) 140 Ohm Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Frequency Stability	±50ppm
ESR (Equivalent Series Resistance) Operating Mode Fundamental Operating Temperature -10°C ~ 60°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max)	Frequency Tolerance	±50ppm
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Load Capacitance	20pF
Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$ Ratings $-$ Mounting Type Surface Mount Package / Case 4-SMD , No Lead Size / Dimension $0.197\text{"L x } 0.126\text{"W } (5.00\text{mm x } 3.20\text{mm})$ Height - Seated (Max) $0.031\text{"} (0.80\text{mm})$	ESR (Equivalent Series Resistance)	140 Ohm
Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Operating Mode	Fundamental
Mounting Type Surface Mount Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Operating Temperature	-10°C ~ 60°C
Package / Case 4-SMD, No Lead Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Ratings	-
Size / Dimension 0.197" L x 0.126" W (5.00mm x 3.20mm) Height - Seated (Max) 0.031" (0.80mm)	Mounting Type	Surface Mount
Height - Seated (Max) 0.031" (0.80mm)	Package / Case	4-SMD, No Lead
	Size / Dimension	0.197" L x 0.126" W (5.00mm x 3.20mm)
Report errors?	Height - Seated (Max)	0.031" (0.80mm)
Report of folds.		Report errors?

FX532B-10.000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FX532B-10.000 Payment Methods





















FX532B-10.000 Shipping Methods













If you have any question about FX532B-10.000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com