

G2R-2A4-AC120 Information



For Reference Only

Part Number G2R-2A4-AC120

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPST 4A 120V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G2R-2A4-AC120 Specifications

Manufacturer Part Number G2R-2A4-AC120 Manufacturer Omron Electronics Inc-EMC Div Category Relays Power Relays, Over 2 Amps Package - Series G2R Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Category Relays Power Relays, Over 2 Amps Package - Series G2R Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Power Relays, Over 2 Amps Package - Series G2R Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Package - G2R Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Series G2R Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Relay Type General Purpose Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Coil Type Non Latching Coil Current 7.5mA Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Coil Current7.5mACoil Voltage120VACContact FormDPST (2 Form A)Contact Rating (Current)4ASwitching Voltage380VAC, 125VDC - MaxTurn On Voltage (Max)96 VAC
Coil Voltage 120VAC Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Contact Form DPST (2 Form A) Contact Rating (Current) 4A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Contact Rating (Current) Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC
Turn On Voltage (Max) 96 VAC
-
T 00011 0 0 0 0
Turn Off Voltage (Min) 36 VAC
Operate Time 15ms
Release Time 10ms
Features Sealed - Fully
Mounting Type Through Hole
Termination Style PC Pin
Report errors?

G2R-2A4-AC120 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G2R-2A4-AC120 Payment Methods





















G2R-2A4-AC120 Shipping Methods













If you have any question about G2R-2A4-AC120, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com