



G2RV-SR500 AC200 Information



For Reference Only

Part Number G2RV-SR500 AC200

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPDT 6A 200V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G2RV-SR500 AC200 Specifications

Manufacturer Part Number G2RV-SR500 AC200 Manufacturer Omron Automation and Safety Category Relays Package - Series G2RV-SR Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp		
Category Relays Power Relays, Over 2 Amps Package - Series G2RV-SR Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style	Manufacturer Part Number	G2RV-SR500 AC200
Package - Series G2RV-SR Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Manufacturer	Omron Automation and Safety
Package - Series G2RV-SR Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Category	Relays
SeriesG2RV-SRRelay TypeGeneral Purpose with SocketCoil TypeNon LatchingCoil Current4.3mACoil Voltage200VACContact FormSPDT (1 Form C)Contact Rating (Current)6ASwitching Voltage440VAC, 125VDC - MaxTurn On Voltage (Max)160 VACTurn Off Voltage (Min)20 VACOperate Time20msRelease Time40msFeatures-Mounting TypeDIN RailTermination StyleScrewless Clamp		Power Relays, Over 2 Amps
Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Package	-
Coil TypeNon LatchingCoil Current4.3mACoil Voltage200VACContact FormSPDT (1 Form C)Contact Rating (Current)6ASwitching Voltage440VAC, 125VDC - MaxTurn On Voltage (Max)160 VACTurn Off Voltage (Min)20 VACOperate Time20msRelease Time40msFeatures-Mounting TypeDIN RailTermination StyleScrewless Clamp	Series	G2RV-SR
Coil Current 4.3mA Coil Voltage 200VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style SPDT (1 Form C)	Relay Type	General Purpose with Socket
Coil Voltage200VACContact FormSPDT (1 Form C)Contact Rating (Current)6ASwitching Voltage440VAC, 125VDC - MaxTurn On Voltage (Max)160 VACTurn Off Voltage (Min)20 VACOperate Time20msRelease Time40msFeatures-Mounting TypeDIN RailTermination StyleScrewless Clamp	Coil Type	Non Latching
Contact Form SPDT (1 Form C) Contact Rating (Current) 6A Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features Mounting Type DIN Rail Termination Style Screwless Clamp	Coil Current	4.3mA
Contact Rating (Current) Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style	Coil Voltage	200VAC
Switching Voltage 440VAC, 125VDC - Max Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max) 160 VAC Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Contact Rating (Current)	6A
Turn Off Voltage (Min) 20 VAC Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Switching Voltage	440VAC, 125VDC - Max
Operate Time 20ms Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Turn On Voltage (Max)	160 VAC
Release Time 40ms Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Turn Off Voltage (Min)	20 VAC
Features - Mounting Type DIN Rail Termination Style Screwless Clamp	Operate Time	20ms
Mounting Type DIN Rail Termination Style Screwless Clamp	Release Time	40ms
Termination Style Screwless Clamp	Features	-
	Mounting Type	DIN Rail
Report errors?	Termination Style	Screwless Clamp
		Report errors?

G2RV-SR500 AC200 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G2RV-SR500 AC200 Payment Methods



















G2RV-SR500 AC200 Shipping Methods













If you have any question about G2RV-SR500 AC200, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com