

Heisener.com

G5PA-1-M DC5 BY OMZ (PF)

G5PA-1-M DC5 BY OMZ (PF) Information

Part Number G5PA-1-M DC5 BY OMZ (PF)

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Power Relays, Over 2 Amps

Description RELAY GENERAL PURPOSE SPST 5A 5V

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G5PA-1-M DC5 BY OMZ (PF) Specifications

Manufacturer Part Number G5PA-1-M DC5 BY OMZ (PF) Manufacturer Omron Electronics Inc-EMC Div Category Relays Power Relays, Over 2 Amps Package - Series G5PA-1 Relay Type General Purpose Coil Type Non Latching Coil Current 108mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole Termination Style PC Pin		
CategoryRelaysPackage-SeriesG5PA-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current108mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage277VAC, 30VDC - MaxTurn On Voltage (Max)4 VDCTurn Off Voltage (Min)0.5 VDCOperate Time15msRelease Time5msFeaturesSealed - Flux ProtectionMounting TypeThrough Hole	Manufacturer Part Number	G5PA-1-M DC5 BY OMZ (PF)
Package - Series G5PA-1 Relay Type General Purpose Coil Type Non Latching Coil Current 108mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Manufacturer	Omron Electronics Inc-EMC Div
Package-SeriesG5PA-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current108mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage277VAC, 30VDC - MaxTurn On Voltage (Max)4 VDCTurn Off Voltage (Min)0.5 VDCOperate Time15msRelease Time5msFeaturesSealed - Flux ProtectionMounting TypeThrough Hole	Category	Relays
SeriesG5PA-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current108mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage277VAC, 30VDC - MaxTurn On Voltage (Max)4 VDCTurn Off Voltage (Min)0.5 VDCOperate Time15msRelease Time5msFeaturesSealed - Flux ProtectionMounting TypeThrough Hole		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 108mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Package	-
Coil Type Non Latching Coil Current 108mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 2277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Series	G5PA-1
Coil Current 108mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Relay Type	General Purpose
Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Coil Type	Non Latching
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Coil Current	108mA
Contact Rating (Current) Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Coil Voltage	5VDC
Switching Voltage 277VAC, 30VDC - Max Turn On Voltage (Max) 4 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Contact Rating (Current)	5A
Turn Off Voltage (Min) Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Switching Voltage	277VAC, 30VDC - Max
Operate Time 15ms Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Turn On Voltage (Max)	4 VDC
Release Time 5ms Features Sealed - Flux Protection Mounting Type Through Hole	Turn Off Voltage (Min)	0.5 VDC
Features Sealed - Flux Protection Mounting Type Through Hole	Operate Time	15ms
Mounting Type Through Hole	Release Time	5ms
	Features	Sealed - Flux Protection
Termination Style PC Pin	Mounting Type	Through Hole
101111	Termination Style	PC Pin
Report errors?		Report errors?

G5PA-1-M DC5 BY OMZ (PF) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G5PA-1-M DC5 BY OMZ (PF) Payment Methods



















G5PA-1-M DC5 BY OMZ (PF) Shipping Methods













If you have any question about G5PA-1-M DC5 BY OMZ (PF), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com