

G6AK-434P-ST40-US DC24

G6AK-434P-ST40-US DC24 Information



For Reference Only

Part Number G6AK-434P-ST40-US DC24

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Signal Relays, Up to 2 Amps

Description RELAY GEN PURPOSE 4PDT 1A 24V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G6AK-434P-ST40-US DC24 Specifications

Manufacturer Part NumberG6AK-434P-ST40-US DC24ManufacturerOmron Electronics Inc-EMC DivCategoryRelaysPackage-SeriesG6ARelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current15mACoil Voltage24VDCContact Form4PDT (4 Form C)Contact Rating (Current)1ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)16.8 VDCTurn Off Voltage (Min)-Operate Time7ms		
CategoryRelaysSignal Relays, Up to 2 AmpsPackage-SeriesG6ARelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current15mACoil Voltage24VDCContact Form4PDT (4 Form C)Contact Rating (Current)1ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)16.8 VDCTurn Off Voltage (Min)-	Manufacturer Part Number	G6AK-434P-ST40-US DC24
Package - Series G6A Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage (Max) Turn Off Voltage (Min) -	Manufacturer	Omron Electronics Inc-EMC Div
Package - G6A Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Category	Relays
Series G6A Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -		Signal Relays, Up to 2 Amps
Relay Type Coil Type Latching, Dual Coil Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Package	-
Coil Type Latching, Dual Coil Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Series	G6A
Coil Current 15mA Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Relay Type	General Purpose
Coil Voltage 24VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Coil Type	Latching, Dual Coil
Contact Form 4PDT (4 Form C) Contact Rating (Current) 1A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Coil Current	15mA
Contact Rating (Current) Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Coil Voltage	24VDC
Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Contact Form	4PDT (4 Form C)
Turn On Voltage (Max) 16.8 VDC Turn Off Voltage (Min) -	Contact Rating (Current)	1A
Turn Off Voltage (Min)	Switching Voltage	250VAC, 220VDC - Max
	Turn On Voltage (Max)	16.8 VDC
Operate Time 7ms	Turn Off Voltage (Min)	-
	Operate Time	7ms
Release Time 7ms	Release Time	7ms
Features -	Features	-
Mounting Type Through Hole	Mounting Type	Through Hole
Termination Style PC Pin	Termination Style	PC Pin
Report errors?		Report errors?

G6AK-434P-ST40-US DC24 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G6AK-434P-ST40-US DC24 Payment Methods



















G6AK-434P-ST40-US DC24 Shipping Methods













If you have any question about G6AK-434P-ST40-US DC24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com