

G6BK-1114P-1-US DC6

G6BK-1114P-1-US DC6 Information



For Reference Only

Part Number G6BK-1114P-1-US DC6

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Power Relays, Over 2 Amps

Description RELAY GENERAL PURPOSE SPST 5A 6V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G6BK-1114P-1-US DC6 Specifications

Manufacturer Part Number G6BK-1114P-1-US DC6 Manufacturer Omron Electronics Inc-EMC Div Category Relays Power Relays, Over 2 Amps Package - Series G6B Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesG6BRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current46.8mACoil Voltage6VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage380VAC, 125VDC - MaxTurn On Voltage (Max)4.2 VDCTurn Off Voltage (Min)-	Manufacturer Part Number	G6BK-1114P-1-US DC6
Package - Series G6B Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage Max) Turn Off Voltage (Min) -	Manufacturer	Omron Electronics Inc-EMC Div
Package - Series G6B Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Category	Relays
Series G6B Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Package	-
Coil Type Latching, Dual Coil Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Series	G6B
Coil Current 46.8mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Relay Type	General Purpose
Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Coil Type	Latching, Dual Coil
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 5A Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Coil Current	46.8mA
Contact Rating (Current) Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min)	Coil Voltage	6VDC
Switching Voltage 380VAC, 125VDC - Max Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max) 4.2 VDC Turn Off Voltage (Min) -	Contact Rating (Current)	5A
Turn Off Voltage (Min)	Switching Voltage	380VAC, 125VDC - Max
-	Turn On Voltage (Max)	4.2 VDC
	Turn Off Voltage (Min)	-
Operate Time 10ms	Operate Time	10ms
Release Time 10ms	Release Time	10ms
Features Sealed - Fully	Features	Sealed - Fully
Mounting Type Through Hole	Mounting Type	Through Hole
Termination Style PC Pin	Termination Style	PC Pin
Report errors?		Report errors?

G6BK-1114P-1-US DC6 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G6BK-1114P-1-US DC6 Payment Methods





















G6BK-1114P-1-US DC6 Shipping Methods













If you have any question about G6BK-1114P-1-US DC6, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com