

# G6K-2F-RF-T-TR09 DC3

## G6K-2F-RF-T-TR09 DC3 Information

www.helsager.com	 G6K-2F-RF-T-TR09 DC3 Omron Electronics Inc-EMC Div Relays Signal Relays, Up to 2 Amps RELAY RF DPDT 1A 3V - For the pricing/inventory/lead time, please contact	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# G6K-2F-RF-T-TR09 DC3 Specifications

Manufacturer Part Number G6K-2F-RF-TR09 DC3   Manufacturer Omron Electronics Inc-EMC Div   Category Relays   Otagony Belays   Package -   Series G6K-RF   Relay Type RF   Coil Type Non Laching   Coil Current 3mA   Coil Current Sind Pclays   Cotact Form DPDT (2 Form C)   Contact Rating (Current) JSVAC, 60VDC - Max   Switching Voltage (Max) 24 VDC   Turn On Voltage (Max) 3mS   Release Time Sins   Release Time Sins   Release Time Sins   Features Sind Relays   Mounting Type Gind Watt		
CategoryRelaysCategorySignal Relays, Up to 2 AmpsPackage-PackageGGK-RFRelay TypeRFColl TypeNon LatchingColl Current33mAColl OtageJDDC (2 Form C)Contact FormDPDT (2 Form C)Contact Rating (Current)14Switching Voltage24 VDC - MaxTurn On Voltage (Max)0.3 VDC - MaxOperate Time3msRelease Time3msFeatures3msMounting TypeSuffice MountFemination StyleSuffice MountFemination StyleSuffice Mount	Manufacturer Part Number	G6K-2F-RF-T-TR09 DC3
Signal Relays, Up to 2 AmpsPackage-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCOperate Time3msRelease Time3msFeatures3msFeatures3 GHzMounting TypeGull Wing	Manufacturer	Omron Electronics Inc-EMC Div
Package-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage24 VDC - MaxTurn On Voltage (Max)2.4 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing	Category	Relays
SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage24 VDC - MaxTurn On Voltage (Max)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing		Signal Relays, Up to 2 Amps
Relay TypeRFCoil TypeNon LatchingCoil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing	Package	-
Coil TypeNon LatchingCoil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing	Series	G6K-RF
Coil Current33mACoil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing	Relay Type	RF
Coil Voltage3VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Coil Type	Non Latching
Contact FormDPDT (2 Form C)Contact FormIAContact Rating (Current)125VAC, 60VDC - MaxSwitching Voltage (Max)2.4 VDCTurn On Voltage (Max)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Coil Current	33mA
Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Coil Voltage	3VDC
Switching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)2.4 VDCTurn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Contact Rating (Current)	1A
Turn Off Voltage (Min)0.3 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Switching Voltage	125VAC, 60VDC - Max
Operate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Turn On Voltage (Max)	2.4 VDC
Release Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Turn Off Voltage (Min)	0.3 VDC
Features3 GHzMounting TypeSurface MountTermination StyleGull Wing	Operate Time	3ms
Mounting TypeSurface MountTermination StyleGull Wing	Release Time	3ms
Termination Style Gull Wing	Features	3 GHz
	Mounting Type	Surface Mount
Report errors?	Termination Style	Gull Wing
		Report errors?

### G6K-2F-RF-T-TR09 DC3 Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### G6K-2F-RF-T-TR09 DC3 Payment Methods





If you have any question about G6K-2F-RF-T-TR09 DC3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com