

G6K-2F-RF-T-TR09 DC9

G6K-2F-RF-T-TR09 DC9 Information

www.helmener.com	 G6K-2F-RF-T-TR09 DC9 Omron Electronics Inc-EMC Div Relays Signal Relays, Up to 2 Amps RELAY RF DPDT 1A 9V - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



G6K-2F-RF-T-TR09 DC9 Specifications

Manufacturer Part NumberG6K-2F-RF-T-TR09 DC9ManufacturerOmron Electronics Inc-EMC DivCategoryRelaysCategorySignal Relays, Up to 2 AmpsPackage-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current1.3mACoil Acter FormOPDT (2 Form C)Cotact FormDPDT (2 Form C)Contact Rating (Current)1.5VAC, 60VDC - MaxSwitching Voltage (Max)7.2 VDCTurn On Voltage (Max)9.9 VDCCoperate TimeSmsRelease TimeSingFaturesSurface MountMounting TypeGird KatonContact StripeGird KatonCorrentD.9 VDCTurn On Voltage (Max)3.9 VDCCorrent TimeSingCorrent StripeGird KatonCorrent StripeSingCorrent StripeSing KatonCorrent StripeSing KatonCorrent StripeSing KatonCorrent StripeSing KatonStripeSing KatonStripeS		
CategoryRelaysCategoryRelays, Up to 2 AmpsPackage-Package-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current11.3mACoil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCOperate Time3msRelease Time3msFeatures3GHzMounting TypeSurface MountTermination StyleSull Wing	Manufacturer Part Number	G6K-2F-RF-T-TR09 DC9
Signal Relays, Up to 2 AmpsPackage-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current11.3mACold Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCQuerte TimeSmsRelease TimeSmsFeaturesGHzMounting TypeSurface MountTermination StyleGull Wing	Manufacturer	Omron Electronics Inc-EMC Div
Package-SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current1.1.3mACoil Otage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)0.9 VDCQuerate Time0.9 VDCRelease Time3msFeaturesGdHzMounting TypeGull Wing	Category	Relays
SeriesG6K-RFRelay TypeRFCoil TypeNon LatchingCoil Current11.3mACoil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)0.9 VDCOperate Time3msRelease Time3 GHzFeatures3 GHzTurning TypeGuil Wing		Signal Relays, Up to 2 Amps
Relay TypeRFCoil TypeNon LatchingCoil Current11.3mACoil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)0.9 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeGull Wing	Package	-
Coil TypeNon LachingCoil Ourrent11.3mACoil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCOperate Time0.9 VDCRelease Time3msFeatures3GHzMounting TypeSurface MountTermination StyleGull Wing	Series	G6K-RF
Coil Current11.3mACoil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3 GHzFeatures3 GHzMounting TypeGull Wing	Relay Type	RF
Coil Voltage9VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3 GHzFeaturesSurface MountMounting TypeGull WingTurn Off VoltageGull Wing	Coil Type	Non Latching
Contact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3 GHzFeatures3 GHzMounting TypeSurface MountFermination StyleGull Wing	Coil Current	11.3mA
Contact Rating (Current)1ASwitching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountFermination StyleGull Wing	Coil Voltage	9VDC
Switching Voltage125VAC, 60VDC - MaxTurn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)7.2 VDCTurn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Contact Rating (Current)	1A
Turn Off Voltage (Min)0.9 VDCOperate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Switching Voltage	125VAC, 60VDC - Max
Operate Time3msRelease Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Turn On Voltage (Max)	7.2 VDC
Release Time3msFeatures3 GHzMounting TypeSurface MountTermination StyleGull Wing	Turn Off Voltage (Min)	0.9 VDC
Features3 GHzMounting TypeSurface MountTermination StyleGull Wing	Operate Time	3ms
Mounting TypeSurface MountTermination StyleGull Wing	Release Time	3ms
Termination Style Gull Wing	Features	3 GHz
	Mounting Type	Surface Mount
Report errors?	Termination Style	Gull Wing
1		Report errors?

G6K-2F-RF-T-TR09 DC9 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

G6K-2F-RF-T-TR09 DC9 Payment Methods





If you have any question about G6K-2F-RF-T-TR09 DC9, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com