



### **G6SK-2F-TR DC12 Information**

Part Number G6SK-2F-TR DC12

Manufacturer Omron Electronics Inc-EMC Div

**Category** Relays

Signal Relays, Up to 2 Amps

**Description** RELAY TELECOM DPDT 2A 12V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **G6SK-2F-TR DC12 Specifications**

Manufacturer Part Number  Manufacturer  Omron Electronics Inc-EMC Div  Relays  Signal Relays, Up to 2 Amps  Package  - Series  G6S  Relay Type  Telecom  Coil Type  Latching, Dual Coil  Coil Current  16.7mA  Coil Voltage  12VDC  Contact Form  DPDT (2 Form C)  Contact Rating (Current)  2A  Switching Voltage  250VAC, 220VDC - Max  Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Ams  Release Time  4ms  Features  Mounting Type  Surface Mount  Termination Style  Report errors?		
CategoryRelaysPackage-SeriesG6SRelay TypeTelecomCoil TypeLatching, Dual CoilCoil Current16.7mACoil Voltage12VDCContact FormDPDT (2 Form C)Contact Rating (Current)2ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time4msRelease Time4msFeatures-Mounting TypeSurface MountTermination StyleGull Wing	Manufacturer Part Number	G6SK-2F-TR DC12
Package-SeriesG6SRelay TypeTelecomCoil TypeLatching, Dual CoilCoil Current16.7mACoil Voltage12VDCContact FormDPDT (2 Form C)Contact Rating (Current)2ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time4msRelease Time4msFeatures-Mounting TypeSurface MountTermination StyleGull Wing	Manufacturer	Omron Electronics Inc-EMC Div
Package - G6S Relay Type Telecom Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 12VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 2A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time 4ms Release Time 4ms Features - Mounting Type Surface Mount Termination Style G6S	Category	Relays
SeriesG6SRelay TypeTelecomCoil TypeLatching, Dual CoilCoil Current16.7mACoil Voltage12VDCContact FormDPDT (2 Form C)Contact Rating (Current)2ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time4msRelease Time4msFeatures-Mounting TypeSurface MountTermination StyleGull Wing		Signal Relays, Up to 2 Amps
Relay Type Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 12VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 2A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time 4ms Release Time 4ms Release Time 4ms Features - Mounting Type Surface Mount Termination Style Telecom 16.7mA 16.7mA 2.4  Ams  Feloase Time 4ms  Gull Wing	Package	-
Coil TypeLatching, Dual CoilCoil Current16.7mACoil Voltage12VDCContact FormDPDT (2 Form C)Contact Rating (Current)2ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time4msRelease Time4msFeatures-Mounting TypeSurface MountTermination StyleGull Wing	Series	G6S
Coil Current16.7mACoil Voltage12VDCContact FormDPDT (2 Form C)Contact Rating (Current)2ASwitching Voltage250VAC, 220VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time4msRelease Time4msFeatures-Mounting TypeSurface MountTermination StyleGull Wing	Relay Type	Telecom
Coil Voltage 12VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 2A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time 4ms Release Time 4ms Features - Mounting Type Surface Mount Termination Style Guil Wing	Coil Type	Latching, Dual Coil
Contact Form DPDT (2 Form C)  Contact Rating (Current)  Switching Voltage  250VAC, 220VDC - Max  Turn On Voltage (Max)  9 VDC  Turn Off Voltage (Min)  Operate Time  4ms  Release Time  4ms  Features  -  Mounting Type  Surface Mount  Termination Style	Coil Current	16.7mA
Contact Rating (Current)  Switching Voltage  250VAC, 220VDC - Max  Turn On Voltage (Max)  9 VDC  Turn Off Voltage (Min)  Operate Time  4ms  Release Time  4ms  Features  -  Mounting Type  Surface Mount  Termination Style	Coil Voltage	12VDC
Switching Voltage 250VAC, 220VDC - Max  Turn On Voltage (Max) 9 VDC  Turn Off Voltage (Min) - Operate Time 4ms  Release Time 4ms  Features - Mounting Type Surface Mount  Termination Style Gull Wing	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)  7 Turn Off Voltage (Min)  Operate Time  4ms  Release Time  4ms  Features  - Mounting Type  Surface Mount  Termination Style  9 VDC  4ms  4ms  6ull Wing	Contact Rating (Current)	2A
Turn Off Voltage (Min)  Operate Time  4ms  Release Time  4ms  Features  - Mounting Type  Surface Mount  Termination Style  Gull Wing	Switching Voltage	250VAC, 220VDC - Max
Operate Time 4ms Release Time 4ms Features - Mounting Type Surface Mount Termination Style Gull Wing	Turn On Voltage (Max)	9 VDC
Release Time 4ms  Features - Mounting Type Surface Mount Termination Style Gull Wing	Turn Off Voltage (Min)	-
Features - Mounting Type Surface Mount Termination Style Gull Wing	Operate Time	4ms
Mounting Type Surface Mount Termination Style Gull Wing	Release Time	4ms
Termination Style Gull Wing	Features	-
	Mounting Type	Surface Mount
Report errors?	Termination Style	Gull Wing
Report cirois:		Report errors?

#### **G6SK-2F-TR DC12 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **G6SK-2F-TR DC12 Payment Methods**



















# **G6SK-2F-TR DC12 Shipping Methods**













If you have any question about G6SK-2F-TR DC12, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com