



#### **G6Z-1FE-A-TR DC3 Information**



For Reference Only

Part Number G6Z-1FE-A-TR DC3

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Signal Relays, Up to 2 Amps

**Description** RELAY RF SPDT 10MA 3V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **G6Z-1FE-A-TR DC3 Specifications**

Manufacturer Part NumberG6Z-1FE-A-TR DC3ManufacturerOmron Electronics Inc-EMC DivCategoryRelaysPackage-SeriesG6ZRelay TypeRFCoil TypeNon LatchingCoil Current66.7mACoil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface MountTermination StyleGull Wing		
CategoryRelaysPackage-SeriesG6ZRelay TypeRFCoil TypeNon LatchingCoil Current66.7mACoil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount	Manufacturer Part Number	G6Z-1FE-A-TR DC3
Package-SeriesG6ZRelay TypeRFCoil TypeNon LatchingCoil Current66.7mACoil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount	Manufacturer	Omron Electronics Inc-EMC Div
Package - G6Z Relay Type RF Coil Type Non Latching Coil Current 66.7mA Coil Voltage 3VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 10mA Switching Voltage 30VAC, 30VDC - Max Turn On Voltage (Max) 2.25 VDC Turn Off Voltage (Min) 0.3 VDC Operate Time 10ms Release Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Surface Mount	Category	Relays
SeriesG6ZRelay TypeRFCoil TypeNon LatchingCoil Current66.7mACoil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount		Signal Relays, Up to 2 Amps
Relay Type RF Coil Type Non Latching Coil Current 66.7mA Coil Voltage 3VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 10mA Switching Voltage 30VAC, 30VDC - Max Turn On Voltage (Max) 2.25 VDC Turn Off Voltage (Min) 0.3 VDC Operate Time 10ms Release Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Surface Mount	Package	-
Coil TypeNon LatchingCoil Current66.7mACoil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount	Series	G6Z
Coil Current 66.7mA Coil Voltage 3VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 10mA Switching Voltage 30VAC, 30VDC - Max Turn On Voltage (Max) 2.25 VDC Turn Off Voltage (Min) 0.3 VDC Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Surface Mount	Relay Type	RF
Coil Voltage3VDCContact FormSPDT (1 Form C)Contact Rating (Current)10mASwitching Voltage30VAC, 30VDC - MaxTurn On Voltage (Max)2.25 VDCTurn Off Voltage (Min)0.3 VDCOperate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount	Coil Type	Non Latching
Contact Form SPDT (1 Form C)  Contact Rating (Current)  Switching Voltage  30VAC, 30VDC - Max  Turn On Voltage (Max)  2.25 VDC  Turn Off Voltage (Min)  0.3 VDC  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Surface Mount	Coil Current	66.7mA
Contact Rating (Current)  Switching Voltage  30VAC, 30VDC - Max  Turn On Voltage (Max)  2.25 VDC  Turn Off Voltage (Min)  0.3 VDC  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Surface Mount	Coil Voltage	3VDC
Switching Voltage 30VAC, 30VDC - Max  Turn On Voltage (Max) 2.25 VDC  Turn Off Voltage (Min) 0.3 VDC  Operate Time 10ms  Release Time 10ms  Features Sealed - Fully  Mounting Type Surface Mount	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max)  2.25 VDC  Turn Off Voltage (Min)  0.3 VDC  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Surface Mount	Contact Rating (Current)	10mA
Turn Off Voltage (Min)  Operate Time  10ms  Release Time  10ms  Features  Sealed - Fully  Mounting Type  Surface Mount	Switching Voltage	30VAC, 30VDC - Max
Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeSurface Mount	Turn On Voltage (Max)	2.25 VDC
Release Time 10ms Features Sealed - Fully Mounting Type Surface Mount	Turn Off Voltage (Min)	0.3 VDC
Features Sealed - Fully Mounting Type Surface Mount	Operate Time	10ms
Mounting Type Surface Mount	Release Time	10ms
C 71	Features	Sealed - Fully
Termination Style Gull Wing	Mounting Type	Surface Mount
	Termination Style	Gull Wing
Report errors?		Report errors?

#### **G6Z-1FE-A-TR DC3 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **G6Z-1FE-A-TR DC3 Payment Methods**



















# **G6Z-1FE-A-TR DC3 Shipping Methods**













If you have any question about G6Z-1FE-A-TR DC3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com