



G7J-2A2B-T AC24 Information

Heisener.com

Part Number G7J-2A2B-T AC24

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE 4PST 25A 24V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









G7J-2A2B-T AC24 Specifications

Manufacturer Part Number G7J-2A2B-T AC24 Manufacturer Omron Automation and Safety Category Relays Power Relays, Over 2 Amps Package - Series G7J Relay Type General Purpose Coil Type Non Latching Coil Current 75mA Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount Termination Style Ouick Connect - 0.250" (6.3mm)		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesG7JRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage24VACContact Form4PST (2 Form A, 2 Form B)Contact Rating (Current)25ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)18 VACTurn Off Voltage (Min)3.6 VACOperate Time50msRelease Time50msFeaturesTest ButtonMounting TypeChassis Mount	Manufacturer Part Number	G7J-2A2B-T AC24
Package - Series G7J Relay Type General Purpose Coil Type Non Latching Coil Current 75mA Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Corlace Rating (Current) Combat Relays, Over 2 Amps G7J Amps G7J Amps G7J Amps G7J Amps G7J Amps Grid Amps Gri	Manufacturer	Omron Automation and Safety
Package-SeriesG7JRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage24VACContact Form4PST (2 Form A, 2 Form B)Contact Rating (Current)25ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)18 VACTurn Off Voltage (Min)3.6 VACOperate Time50msRelease Time50msFeaturesTest ButtonMounting TypeChassis Mount	Category	Relays
SeriesG7JRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage24VACContact Form4PST (2 Form A, 2 Form B)Contact Rating (Current)25ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)18 VACTurn Off Voltage (Min)3.6 VACOperate Time50msRelease Time50msFeaturesTest ButtonMounting TypeChassis Mount		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 75mA Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Release Time 50ms Resultation Mounting Type Chassis Mount	Package	-
Coil Type Non Latching Coil Current 75mA Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Series	G7J
Coil Current 75mA Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Relay Type	General Purpose
Coil Voltage 24VAC Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Coil Type	Non Latching
Contact Form 4PST (2 Form A, 2 Form B) Contact Rating (Current) 25A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Coil Current	75mA
Contact Rating (Current) Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Coil Voltage	24VAC
Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 18 VAC Turn Off Voltage (Min) 3.6 VAC Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Contact Form	4PST (2 Form A, 2 Form B)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Contact Rating (Current)	25A
Turn Off Voltage (Min) Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Switching Voltage	250VAC, 125VDC - Max
Operate Time 50ms Release Time 50ms Features Test Button Mounting Type Chassis Mount	Turn On Voltage (Max)	18 VAC
Release Time 50ms Features Test Button Mounting Type Chassis Mount	Turn Off Voltage (Min)	3.6 VAC
Features Test Button Mounting Type Chassis Mount	Operate Time	50ms
Mounting Type Chassis Mount	Release Time	50ms
C 71	Features	Test Button
Termination Style Ouick Connect - 0,250" (6,3mm)	Mounting Type	Chassis Mount
· · · · · · · · · · · · · · · · · · ·	Termination Style	Quick Connect - 0.250" (6.3mm)
Report errors?		Report errors?

G7J-2A2B-T AC24 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

G7J-2A2B-T AC24 Payment Methods





















G7J-2A2B-T AC24 Shipping Methods













If you have any question about G7J-2A2B-T AC24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com