

G9EB-1-B DC48

G9EB-1-B DC48 Information



Part Number	G9EB-1-B DC48	
Manufacturer	Omron Electronics Inc-EMC Div	
Category	Relays Power Relays, Over 2 Amps	
Description	RELAY GEN PURPOSE SPST 25A 48V	
Package	-	
	For the pricing/inventory/lead time, please contact us	
	Website: https://www.heisener.com	
	E-mail: salesdept@heisener.com	



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



G9EB-1-B DC48 Specifications

Manufacturer Part Number G9EB-1-B DC48 Manufacturer Omron Electronics Inc-EMC Div Category Relays Package Power Relays, Over 2 Amps Package - Series G9EB-1 Relay Type General Purpose Coil Type Non Latching Coil Current 41.7mA Coil Voltage SPST-NO (1 Form A) Contact Form SPST-NO (1 Form A) Contact Rating (Current) SOVDC - Max Turn On Voltage (Max) 36 VDC Turn Off Voltage (Min) 48 VDC Operate Time Joms Release Time Isms Features Seade - Fully Mounting Type Chasis Mount Termination Style Screw Terminal		
CategoryRelaysPackage-PackageG9EB-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current41.7mACoil VoltageSPST-NO (1 Form A)Contact FormSYST-NO (1 Form A)Contact Rating (Current)SOVDC - MaxSwitching Voltage36 VDCTurn ON Voltage (Max)36 VDCCorrent FineSinsRelase Time15msRelase TimeSealer FullyMounting TypeChasis MountTermination StyleScew Terminal	Manufacturer Part Number	G9EB-1-B DC48
Power Relays, Over 2 AmpsPackage-SeriesG9EB-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current41.7mACoil VoltageSPST-NO (1 Form A)Contact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCOperate Time30msRelease Time15msFeaturesScald - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Manufacturer	Omron Electronics Inc-EMC Div
Package-SeriesG9EB-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current41.7mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage20VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesScaled - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Category	Relays
SeriesG9EB-1Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current41.7mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCOperate TimeJomsRelease Time15msFeaturesSealed - FullyMounting TypeChassi MountTermination StyleScrew Terminal		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current41.7mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage (Max)36 VDC - MaxTurn Of Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Package	-
Coil TypeNon LatchingCoil Current41.7mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Form (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Series	G9EB-1
Coil Current41.7mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesScaled - FullyMounting TypeChasis MountTermination StyleScrew Terminal	Relay Type	General Purpose
Coil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Coil Type	Non Latching
Contact FormSPST-NO (1 Form A)Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Coil Current	41.7mA
Contact Rating (Current)25ASwitching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Coil Voltage	48VDC
Switching Voltage250VDC - MaxTurn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max)36 VDCTurn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountFermination StyleScrew Terminal	Contact Rating (Current)	25A
Turn Off Voltage (Min)4.8 VDCOperate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Switching Voltage	250VDC - Max
Operate Time30msRelease Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Turn On Voltage (Max)	36 VDC
Release Time15msFeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Turn Off Voltage (Min)	4.8 VDC
FeaturesSealed - FullyMounting TypeChassis MountTermination StyleScrew Terminal	Operate Time	30ms
Mounting TypeChassis MountTermination StyleScrew Terminal	Release Time	15ms
Termination Style Screw Terminal	Features	Sealed - Fully
	Mounting Type	Chassis Mount
Report errors?	Termination Style	Screw Terminal
		Report errors?

G9EB-1-B DC48 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

G9EB-1-B DC48 Payment Methods



G9EB-1-B DC48 Shipping Methods



If you have any question about G9EB-1-B DC48, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com