



GEM24DCAH-S189 Information

Heisener.com

Part Number GEM24DCAH-S189

Manufacturer Sullins Connector Solutions

Category Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

Description CONN EDGE DUAL FMALE 48POS 0.156

Description CONN EDGE DUAL PMALE 401 03 (

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









GEM24DCAH-S189 Specifications

	Report error	rs?
Operating Temperature	-65°C ~ 125°C	
Flange Feature	Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	
Color	Black	
Contact Type	Hairpin Bellows	
Contact Finish Thickness	100μin (2.54μm)	
Contact Finish	Tin	
Contact Material	Phosphor Bronze	
Termination	Solder	
Mounting Type	Through Hole, Right Angle	
Features	-	
Pitch	0.156" (3.96mm)	
Number of Rows	2	
Card Thickness	0.062" (1.57mm)	
Number of Positions	48	
Number of Positions/Bay/Row	24	
Gender	Female	
Card Type	Non Specified - Dual Edge	
Series	-	
Package	-	
2	Card Edge Connectors - Edgeboard Connectors	
Category	Connectors, Interconnects	
Manufacturer	Sullins Connector Solutions	
Manufacturer Part Number	GEM24DCAH-S189	

GEM24DCAH-S189 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

GEM24DCAH-S189 Payment Methods



















GEM24DCAH-S189 Shipping Methods













If you have any question about GEM24DCAH-S189, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com