

GG1000 Information



For Reference Only

Part Number GG1000 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CRTRDGE 1KA 550VAC CYLINDR

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









GG1000 Specifications

Manufacturer Part Number Manufacturer Eaton Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series GG Fuse Type Cartridge Current Rating IkA Voltage Rating - AC Voltage Rating - DC Response Time Applications Electrical, Industrial Features Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension GG Ga Circuit Protection Electrical, Specialty Fuses Cylindrical, Blade Terminal (Bolt) Size / Dimension Seport errors?		
Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series GG Fuse Type Cartridge Current Rating 1kA Voltage Rating - AC 550V Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Circuit Protection Electrical, Specialty Fuses Cylindrical, Blade Terminal (Bolt) Size / Dimension	Manufacturer Part Number	GG1000
Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series GG Fuse Type Cartridge Current Rating IkA Voltage Rating - AC Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Blade Terminal (Bolt)	Manufacturer	Eaton
Package Cylindrical, Blade Terminal (Bolt) Series GG Fuse Type Cartridge Current Rating 1kA Voltage Rating - AC 550V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Category	Circuit Protection
Series GG Fuse Type Cartridge Current Rating 1kA Voltage Rating - AC 550V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 1kA Voltage Rating - AC 550V Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Cartridge Lika Cartridge 1kA A Bolt Mount Cartridge Lika Story Bolt Mount Cartridge Lika Story Bolt Mount Cartridge Lika Story Bolt Mount Cylindrical, Blade Terminal (Bolt) Size / Dimension Cartridge Lika Story Bolt Mount Cartridge Lika Story Story Cartridge Lika Story Story Story Cartridge Lika Story Story Story Cartridge Lika Story Story Cartridge Lika Story Story Cartridge Lika Story Story Cartridge Lika Story Cartridge Lika Story Story Cartridge Lika Lika Story Cartridge Lika Lika	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 550V Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension IkA IkA IkA IkA IkA IkA IkA Ik	Series	GG
Voltage Rating - AC Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 550V 550V - 650V - 650V - 650V - 660 Foliable Temperature 500 Fleetrical, Industrial - 660 Fleetrical, Industrial - 670 Fleetrical, Industrial 670 670 670 670 670 670 670 67	Fuse Type	Cartridge
Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Current Rating	1kA
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Size / Dimension - Electrical, Industrial - Bleaking Capacity Size / Capacity Size / Dimension - Class - Bleaking Capacity Size / Dimension - Cylindrical, Blade Terminal (Bolt) Size / Dimension	Voltage Rating - AC	550V
Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Voltage Rating - DC	-
Features - Class - Approvals - Coperating Temperature - Size / Dimension - Bolt Mount (Bolt) Size / Dimension - Coperating Temperature - Size / Dimension - Coperating Temperature - Coperating Capacity @ Rated Voltage	Response Time	-
Class - Approvals - Coperating Temperature - Seaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Applications	Electrical, Industrial
Approvals Operating Temperature	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Class	-
Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Approvals	-
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Breaking Capacity @ Rated Voltage	80kA
Size / Dimension 3.937" Dia x 3.307" L (100.00mm x 84.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	3.937" Dia x 3.307" L (100.00mm x 84.00mm)
		Report errors?

GG1000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

GG1000 Payment Methods



















GG1000 Shipping Methods













If you have any question about GG1000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com