



# **GM5ZJ01200A Information**

Heisener.com

Part Number GM5ZJ01200A

Manufacturer Sharp Microelectronics

Category Optoelectronics

LED Indication - Discrete

**Description** LED ORANGE CLEAR 4SMD

Package 4-SMD, Flat Leads For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **GM5ZJ01200A Specifications**

Manufacturer Part Number         GM5ZJ01200A           Manufacturer         Sharp Microelectronics           Category         Optoelectronics           LED Indication - Discrete           Package         4-SMD, Flat Leads           Series         -           Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500med           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618nm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm	•	
Category         Optoelectronics           LED Indication - Discrete           Package         4-SMD, Flat Leads           Series         -           Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500mcd           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618mm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm	Manufacturer Part Number	GM5ZJ01200A
Package         4-SMD, Flat Leads           Series         -           Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500mcd           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618nm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm	Manufacturer	Sharp Microelectronics
Package         4-SMD, Flat Leads           Series         -           Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500mcd           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618nm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm	Category	Optoelectronics
Series         -           Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500mcd           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618nm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm		LED Indication - Discrete
Color         Orange           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         500mcd           Lens Style/Size         Round with Flat Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2.2V           Current - Test         60mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         618nm           Wavelength - Peak         627nm           Features         -           Package / Case         4-SMD, Flat Leads           Supplier Device Package         6050           Size / Dimension         6.00mm L x 5.00mm W           Height (Max)         2.40mm	Package	4-SMD, Flat Leads
Configuration - Colorless Lens Transparency Clear Millicandela Rating 500mcd Lens Style/Size Round with Flat Top, 3.20mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 60mA Viewing Angle - Surface Mount Wavelength - Dominant 618nm Wavelength - Peak 627nm Features - Package / Case 4-SMD, Flat Leads Supplier Device Package 6050 Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating500mcdLens Style/SizeRound with Flat Top, 3.20mmVoltage - Forward (Vf) (Typ)2.2VCurrent - Test60mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant618nmWavelength - Peak627nmFeatures-Package / Case4-SMD, Flat LeadsSupplier Device Package6050Size / Dimension6.00mm L x 5.00mm WHeight (Max)2.40mm	Color	Orange
Lens TransparencyClearMillicandela Rating500mcdLens Style/SizeRound with Flat Top, 3.20mmVoltage - Forward (Vf) (Typ)2.2VCurrent - Test60mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant618nmWavelength - Peak627nmFeatures-Package / Case4-SMD, Flat LeadsSupplier Device Package6050Size / Dimension6.00mm L x 5.00mm WHeight (Max)2.40mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Flat Top, 3.20mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 60mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 618nm Wavelength - Peak 627nm Features - Package / Case 4-SMD, Flat Leads Supplier Device Package Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Lens Color	Colorless
Lens Style/SizeRound with Flat Top, 3.20mmVoltage - Forward (Vf) (Typ)2.2VCurrent - Test60mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant618nmWavelength - Peak627nmFeatures-Package / Case4-SMD, Flat LeadsSupplier Device Package6050Size / Dimension6.00mm L x 5.00mm WHeight (Max)2.40mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)  Current - Test  60mA  Viewing Angle  - Mounting Type  Surface Mount  Wavelength - Dominant  618nm  Wavelength - Peak  627nm  Features  - Package / Case  4-SMD, Flat Leads  Supplier Device Package  Size / Dimension  6.00mm L x 5.00mm W  Height (Max)  2.2V  2.2V  60mA  - Commanded Comman	Millicandela Rating	500mcd
Current - Test 60mA  Viewing Angle -  Mounting Type Surface Mount  Wavelength - Dominant 618nm  Wavelength - Peak 627nm  Features -  Package / Case 4-SMD, Flat Leads  Supplier Device Package 6050  Size / Dimension 6.00mm L x 5.00mm W  Height (Max) 2.40mm	Lens Style/Size	Round with Flat Top, 3.20mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant618nmWavelength - Peak627nmFeatures-Package / Case4-SMD, Flat LeadsSupplier Device Package6050Size / Dimension6.00mm L x 5.00mm WHeight (Max)2.40mm	Voltage - Forward (Vf) (Typ)	2.2V
Mounting TypeSurface MountWavelength - Dominant618nmWavelength - Peak627nmFeatures-Package / Case4-SMD, Flat LeadsSupplier Device Package6050Size / Dimension6.00mm L x 5.00mm WHeight (Max)2.40mm	Current - Test	60mA
Wavelength - Dominant 618nm Wavelength - Peak 627nm  Features - Package / Case 4-SMD, Flat Leads Supplier Device Package 6050 Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Viewing Angle	-
Wavelength - Peak 627nm  Features - Package / Case 4-SMD, Flat Leads  Supplier Device Package 6050  Size / Dimension 6.00mm L x 5.00mm W  Height (Max) 2.40mm	Mounting Type	Surface Mount
Features Package / Case 4-SMD, Flat Leads Supplier Device Package 6050 Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Wavelength - Dominant	618nm
Package / Case 4-SMD, Flat Leads Supplier Device Package 6050 Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Wavelength - Peak	627nm
Supplier Device Package 6050 Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Features	-
Size / Dimension 6.00mm L x 5.00mm W Height (Max) 2.40mm	Package / Case	4-SMD, Flat Leads
Height (Max) 2.40mm	Supplier Device Package	6050
	Size / Dimension	6.00mm L x 5.00mm W
Report errors?	Height (Max)	2.40mm
		Report errors?

#### **GM5ZJ01200A Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **GM5ZJ01200A Payment Methods**



















### **GM5ZJ01200A Shipping Methods**













If you have any question about GM5ZJ01200A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com