



Heisener.com

For Reference Only

GTC06AF-40-53P(125) Information

Part Number GTC06AF-40-53P(125)

Manufacturer Amphenol Industrial Operations

Category

Connectors, Interconnects **Circular Connectors**

Description

CONN PLUG 60POS STRAIGHT W/PINS

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









GTC06AF-40-53P(125) Specifications

Manufacturer Part Number GTC06AF-40-53P(125) Manufacturer Amphenol Industrial Operations Category Connectors, Interconnects Package - Series GT, MIL-5015 Derivative Connector Type Plug, Male Pins Number of Positions 60 Shell Size - Insert 40-53 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Reverse Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesGT, MIL-5015 DerivativeConnector TypePlug, Male PinsNumber of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Manufacturer Part Number	GTC06AF-40-53P(125)
Package-SeriesGT, MIL-5015 DerivativeConnector TypePlug, Male PinsNumber of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Manufacturer	Amphenol Industrial Operations
Package-SeriesGT, MIL-5015 DerivativeConnector TypePlug, Male PinsNumber of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Category	Connectors, Interconnects
SeriesGT, MIL-5015 DerivativeConnector TypePlug, Male PinsNumber of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Package	-
Number of Positions60Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Series	GT, MIL-5015 Derivative
Shell Size - Insert40-53Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Reverse Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Number of Positions	60
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeReverse Bayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact FinishGoldFeaturesCable ClampVoltage - Rated500VAC, 700VDCCurrent Rating-	Shell Size - Insert	40-53
Termination Crimp Fastening Type Reverse Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Shell Size, MIL	-
Fastening Type Reverse Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Mounting Type	Free Hanging (In-Line)
Orientation N (Normal) Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Termination	Crimp
Ingress Protection - Shell Material, Finish - Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Fastening Type	Reverse Bayonet Lock
Shell Material, Finish Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Orientation	N (Normal)
Contact Finish Gold Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Ingress Protection	-
Features Cable Clamp Voltage - Rated 500VAC, 700VDC Current Rating -	Shell Material, Finish	-
Voltage - Rated 500VAC, 700VDC Current Rating -	Contact Finish	Gold
Current Rating -	Features	Cable Clamp
	Voltage - Rated	500VAC, 700VDC
Report errors?	Current Rating	-
		Report errors?

GTC06AF-40-53P(125) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

GTC06AF-40-53P(125) Payment Methods





















GTC06AF-40-53P(125) Shipping Methods













If you have any question about GTC06AF-40-53P(125), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com