



### **HE751A0510 Information**



For Reference Only

Part Number HE751A0510 Manufacturer Littelfuse Inc. Category Relays

Signal Relays, Up to 2 Amps

**Description** RELAY REED SPST 500MA 5V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **HE751A0510 Specifications**

Manufacturer Part Number  Manufacturer  Littelfuse Inc.  Relays  Signal Relays, Up to 2 Amps  Package  - Series  HE700  Relay Type  Reed  Coil Type  Non Latching  Coil Current  10mA  Coil Voltage  SPST-NO (1 Form A)  Contact Form  SPST-NO (1 Form A)  Switching Voltage  300VDC - Max  Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Release Time  Ims  Release Time  Ims  Reatures  Mounting Type  Through Hole  Termination Style  Littelfuse Inc.  Relays  Signal Relays  Littelfuse Inc.  Relays  Signal Relays  Littelfuse Inc.  Relays  Signal Relays  Littelfuse Inc.  Litelfuse Inc.  Littelfuse Inc.  Littelf		
CategoryRelaysPackage-SeriesHE700Relay TypeReedCoil TypeNon LatchingCoil Current10mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)500mASwitching Voltage300VDC - MaxTurn On Voltage (Max)3.75 VDCTurn Off Voltage (Min)0.5 VDCOperate TimeImsRelease TimeImsFeaturesDiodeMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	HE751A0510
Package - Series HE700 Relay Type Reed Coil Type Non Latching Coil Current 10mA Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 500mA Switching Voltage 300VDC - Max Turn On Voltage (Max) 3.75 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time Ims Release Time Ims Features Diode Mounting Type Through Hole Termination Style PC Pin	Manufacturer	Littelfuse Inc.
Package-SeriesHE700Relay TypeReedCoil TypeNon LatchingCoil Current10mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)500mASwitching Voltage300VDC - MaxTurn On Voltage (Max)3.75 VDCTurn Off Voltage (Min)0.5 VDCOperate TimeImsRelease TimeImsFeaturesDiodeMounting TypeThrough HoleTermination StylePC Pin	Category	Relays
SeriesHE700Relay TypeReedCoil TypeNon LatchingCoil Current10mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)500mASwitching Voltage300VDC - MaxTurn On Voltage (Max)3.75 VDCTurn Off Voltage (Min)0.5 VDCOperate TimeImsRelease TimeImsFeaturesDiodeMounting TypeThrough HoleTermination StylePC Pin		Signal Relays, Up to 2 Amps
Relay TypeReedCoil TypeNon LatchingCoil Current10mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)500mASwitching Voltage300VDC - MaxTurn On Voltage (Max)3.75 VDCTurn Off Voltage (Min)0.5 VDCOperate TimeImsRelease TimeImsFeaturesDiodeMounting TypeThrough HoleTermination StylePC Pin	Package	-
Coil TypeNon LatchingCoil Current10mACoil Voltage5VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)500mASwitching Voltage300VDC - MaxTurn On Voltage (Max)3.75 VDCTurn Off Voltage (Min)0.5 VDCOperate Time1msRelease TimeImsFeaturesDiodeMounting TypeThrough HoleTermination StylePC Pin	Series	HE700
Coil Current Coil Voltage 5VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 500mA Switching Voltage 300VDC - Max Turn On Voltage (Max) 3.75 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time Ims Release Time Ims Features Diode Mounting Type Through Hole Termination Style	Relay Type	Reed
Coil Voltage 5VDC  Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 500mA  Switching Voltage 300VDC - Max  Turn On Voltage (Max) 3.75 VDC  Turn Off Voltage (Min) 0.5 VDC  Operate Time 1ms  Release Time 1ms  Features Diode  Mounting Type Through Hole  Termination Style PC Pin	Coil Type	Non Latching
Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 500mA  Switching Voltage 300VDC - Max  Turn On Voltage (Max) 3.75 VDC  Turn Off Voltage (Min) 0.5 VDC  Operate Time 1ms  Release Time 1ms  Release Time Diode  Mounting Type Through Hole  Termination Style PC Pin	Coil Current	10mA
Contact Rating (Current)  Switching Voltage  300VDC - Max  Turn On Voltage (Max)  3.75 VDC  Turn Off Voltage (Min)  0.5 VDC  Operate Time  Ims  Release Time  Ims  Features  Diode  Mounting Type  Through Hole  Termination Style	Coil Voltage	5VDC
Switching Voltage 300VDC - Max Turn On Voltage (Max) 3.75 VDC Turn Off Voltage (Min) 0.5 VDC Operate Time 1ms Release Time 1ms Features Diode Mounting Type Through Hole Termination Style PC Pin	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Ims  Release Time  Ims  Features  Diode  Mounting Type  Through Hole  Termination Style  3.75 VDC  Ims  Diode  Through Hole  PC Pin	Contact Rating (Current)	500mA
Turn Off Voltage (Min)  Operate Time  Ims  Release Time  Ims  Features  Diode  Mounting Type  Through Hole  Termination Style  O.5 VDC  Ims  PC Pin	Switching Voltage	300VDC - Max
Operate Time Ims Release Time Ims Features Diode Mounting Type Through Hole Termination Style PC Pin	Turn On Voltage (Max)	3.75 VDC
Release Time 1ms Features Diode Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	0.5 VDC
Features Diode  Mounting Type Through Hole  Termination Style PC Pin	Operate Time	1ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	1ms
Termination Style PC Pin	Features	Diode
	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

### **HE751A0510 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **HE751A0510 Payment Methods**



















## **HE751A0510 Shipping Methods**













If you have any question about HE751A0510, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com