



HEF4072BT,653 Information



For Reference Only

Part Number HEF4072BT,653

Manufacturer NXP

Category Integrated Circuits (ICs)

Logic - Gates and Inverters

Description IC GATE OR 2CH 4-INP 14-SO **Package** 14-SOIC (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HEF4072BT,653 Specifications

Manufacturer Part Number HEF4072BT,653 Manufacturer NXP Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.154", 3.90mm Width) Series 4000B Logic Type OR Gate Number of Circuits 2 Number of Inputs 4 Features - Voltage - Supply 3 V ~ 15 V Current - Quiescent (Max) 4μA Current - Output High, Low 3mA, 3mA Logic Level - Low 1.5 V ~ 4 V Logic Level - High 3.5 V ~ 11 V Max Propagation Delay @ V, Max CL 55ns @ 15V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SO Package / Case 14-SOIC (0.154", 3.90mm Width)		
Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.154", 3.90mm Width) Series 4000B Logic Type OR Gate Number of Circuits 2 Number of Inputs 4 Features - Voltage - Supply 3 V ~ 15 V Current - Quiescent (Max) 4μA Current - Output High, Low 3mA, 3mA Logic Level - Low 1.5 V ~ 4 V Logic Level - High 3.5 V ~ 11 V Max Propagation Delay @ V, Max CL 55ns @ 15V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SO	Manufacturer Part Number	HEF4072BT,653
PackageLogic - Gates and InvertersPackage 14-SOIC (0.154", 3.90mm Width)Series $4000B$ Logic TypeOR GateNumber of Circuits 2 Number of Inputs 4 Features-Voltage - Supply $3 \text{ V} \sim 15 \text{ V}$ Current - Quiescent (Max) $4\mu A$ Current - Output High, Low 3mA , 3mA Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL 55ns @ 15V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-SO	Manufacturer	NXP
Package 14-SOIC (0.154", 3.90mm Width) Series 4000B Logic Type OR Gate Number of Circuits 2 Number of Inputs 4 Features - Voltage - Supply 3 V ~ 15 V Current - Quiescent (Max) 4μA Current - Output High, Low 3mA, 3mA Logic Level - Low 1.5 V ~ 4 V Logic Level - High 3.5 V ~ 11 V Max Propagation Delay @ V, Max CL 55ns @ 15V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SO	Category	Integrated Circuits (ICs)
Series $4000B$ Logic TypeOR GateNumber of Circuits2Number of Inputs 4 Features-Voltage - Supply $3 \text{ V} \sim 15 \text{ V}$ Current - Quiescent (Max) $4\mu A$ Current - Output High, Low $3mA$, $3mA$ Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL $55ns$ @ $15V$, $50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package $14-SO$		Logic - Gates and Inverters
Logic TypeOR GateNumber of Circuits2Number of Inputs4Features-Voltage - Supply3 V ~ 15 VCurrent - Quiescent (Max)4μACurrent - Output High, Low3mA, 3mALogic Level - Low1.5 V ~ 4 VLogic Level - High3.5 V ~ 11 VMax Propagation Delay @ V, Max CL55ns @ 15V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SO	Package	14-SOIC (0.154", 3.90mm Width)
Number of Circuits2Number of Inputs4Features-Voltage - Supply $3 \text{ V} \sim 15 \text{ V}$ Current - Quiescent (Max) $4\mu\text{A}$ Current - Output High, Low 3mA , 3mA Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL 55ns @ 15V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-SO	Series	4000B
Number of Inputs4Features-Voltage - Supply $3 \text{ V} \sim 15 \text{ V}$ Current - Quiescent (Max) $4\mu\text{A}$ Current - Output High, Low 3mA , 3mA Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL 55ns @ 15V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-SO	Logic Type	OR Gate
Features - Voltage - Supply $3 \text{ V} \sim 15 \text{ V}$ Current - Quiescent (Max) $4\mu\text{A}$ Current - Output High, Low 3mA , 3mA Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL 55ns @ 15V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting Type Surface Mount Supplier Device Package 14-SO	Number of Circuits	2
Voltage - Supply $3 \ V \sim 15 \ V$ Current - Quiescent (Max) $4\mu A$ Current - Output High, Low $3mA, 3mA$ Logic Level - Low $1.5 \ V \sim 4 \ V$ Logic Level - High $3.5 \ V \sim 11 \ V$ Max Propagation Delay @ V, Max CL $55ns \ @ 15V, 50pF$ Operating Temperature $-40^{\circ}C \sim 85^{\circ}C$ Mounting Type $Surface \ Mount$ Supplier Device Package $14-SO$	Number of Inputs	4
Current - Quiescent (Max) $4\mu A$ Current - Output High, Low $3mA$, $3mA$ Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL $55ns$ @ 15V , $50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting Type Surface Mount Supplier Device Package 14-SO	Features	-
Current - Output High, Low $3mA$, $3mA$ Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL $55ns @ 15V$, $50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-SO	Voltage - Supply	3 V ~ 15 V
Logic Level - Low $1.5 \text{ V} \sim 4 \text{ V}$ Logic Level - High $3.5 \text{ V} \sim 11 \text{ V}$ Max Propagation Delay @ V, Max CL 55ns @ 15V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-SO	Current - Quiescent (Max)	4μΑ
Logic Level - High 3.5 V ~ 11 V Max Propagation Delay @ V, Max CL 55ns @ 15V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SO	Current - Output High, Low	3mA, 3mA
Max Propagation Delay @ V, Max CL55ns @ 15V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SO	Logic Level - Low	1.5 V ~ 4 V
Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SO	Logic Level - High	3.5 V ~ 11 V
Mounting Type Surface Mount Supplier Device Package 14-SO	Max Propagation Delay @ V, Max CL	55ns @ 15V, 50pF
Supplier Device Package 14-SO	Operating Temperature	-40°C ~ 85°C
	Mounting Type	Surface Mount
Package / Case 14-SOIC (0.154", 3.90mm Width)	Supplier Device Package	14-SO
	Package / Case	14-SOIC (0.154", 3.90mm Width)
Report errors?		Report errors?

HEF4072BT,653 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HEF4072BT,653 Payment Methods



















HEF4072BT,653 Shipping Methods













If you have any question about HEF4072BT,653, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com