



HEW.4F.340.XLNP Information

Heisener.com

Part Number HEW.4F.340.XLNP

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 40SKT STR PCB

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HEW.4F.340.XLNP Specifications

Manufacturer Part Number HEW.4F.340.XLNP Manufacturer LEMO Category Connectors, Interconnects Package - Series 4F Connector Type Receptacle, Female Sockets Number of Positions 40 Shell Size - Insert 340 Shell Size, MIL - Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation W Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 2A		
CategoryConnectors, InterconnectsPackage-Series4FConnector TypeReceptacle, Female SocketsNumber of Positions40Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Manufacturer Part Number	HEW.4F.340.XLNP
Package-Series4FConnector TypeReceptacle, Female SocketsNumber of Positions40Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Manufacturer	LEMO
Package-Series4FConnector TypeReceptacle, Female SocketsNumber of Positions40Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Category	Connectors, Interconnects
Series 4F Connector Type Receptacle, Female Sockets Number of Positions 40 Shell Size - Insert 340 Shell Size, MIL		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions40Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Package	-
Number of Positions40Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Series	4F
Shell Size - Insert340Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation W Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 2A	Number of Positions	40
Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationWIngress ProtectionIP68 - Dust Tight, WaterproofShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating2A	Shell Size - Insert	340
Termination Solder Fastening Type Push-Pull, Detent Lock Orientation W Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 2A	Shell Size, MIL	-
Fastening Type Push-Pull, Detent Lock Orientation W Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 2A	Mounting Type	Panel Mount, Flange; Through Hole
Orientation W Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 2A	Termination	Solder
Ingress Protection IP68 - Dust Tight, Waterproof Shell Material, Finish Aluminum Alloy, Nickel Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 2A	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated Current Rating Aluminum Alloy, Nickel Plated Gold Shielded 2A	Orientation	W
Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 2A	Ingress Protection	IP68 - Dust Tight, Waterproof
Features Shielded Voltage - Rated - Current Rating 2A	Shell Material, Finish	Aluminum Alloy, Nickel Plated
Voltage - Rated Current Rating 2A	Contact Finish	Gold
Current Rating 2A	Features	Shielded
	Voltage - Rated	-
Report errors?	Current Rating	2A
		Report errors?

HEW.4F.340.XLNP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HEW.4F.340.XLNP Payment Methods



















HEW.4F.340.XLNP Shipping Methods













If you have any question about HEW.4F.340.XLNP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com