

HI5767/6CB-T

HI5767/6CB-T Information

- 40	Part Number	HI5767/6CB-T	
Antonio antoni	Manufacturer	Renesas Electronics America	
	Category	Integrated Circuits (ICs) Data Acquisition - Analog to Digital Converters (ADC)	
man	Description	CONV A/D 10BIT 60MSPS 28-SOIC	
du.	Package	28-SOIC (0.295", 7.50mm Width)	回激發展
For Reference Only		For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



HI5767/6CB-T Specifications

Manufacturer Renesas Electronics America Manufacturer Renesas Electronics America Category Integrated Circuits (ICs) Data Acquisition - Analog to Digital Converters (ADC) 28-SOIC (0.295", 7.50mm Width) Series - Number of Bits 10 Sampling Rate (Per Second) 60M Number of Inputs 1 Input Type Differential, Single Ended Data Interface Parallel Configuration S/H-ADC Ratio - S/H:ADC 1:1 Number of A/D Converters 1 Architecture Pipelined Reference Type Internal Voltage - Supply, Analog 5V Voltage - Supply, Digital 5V Features - Operating Temperature 0°C ~ 70°C Package / Case 28-SOIC (0.295", 7.50mm Width) Supplier Device Package 28-SOIC		
CategoryIntegrated Circuits (ICs)Data Acquisition - Analog to Digital Converters (ADC)Package28-SOIC (0.295", 7.50mm Width)Series-Number of Bits10Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCNumber of A/D Converters1ArchitecturePipelinedNumber of Supply, AnalogS/VVoltage - Supply, DigitalS/VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOIC (0.295", 7.50mm Width)	Manufacturer Part Number	HI5767/6CB-T
Data Acquisition - Analog to Digital Converters (ADC)Package28-SOIC (0.295", 7.50mm Width)Series-Number of Bits10Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Manufacturer	Renesas Electronics America
Package28-SOIC (0.295", 7.50mm Width)Series-Number of Bits10Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1Reference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Category	Integrated Circuits (ICs)
Series-Number of Bits10Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H: ADC1:1Number of A/D Converters1Reference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VPeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Munting Type-		Data Acquisition - Analog to Digital Converters (ADC)
Number of Bits10Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H: ADC1.1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltag - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case88-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Package	28-SOIC (0.295", 7.50mm Width)
Sampling Rate (Per Second)60MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, AnalogS/VVoltage - Supply, Digital-Peatures-Operating Temperature0°C ~ 70°CSupplier Device Package38-SOIC (0.295", 7.50mm Width)Mounting Type-	Series	-
Number of Inputs1Number of InputsDifferential, Single EndedInput TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1.1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, DigitalSVYoltage - Supply, DigitalSVFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Number of Bits	10
Input TypeDifferential, Single EndedInput TypeParallelData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, AnalogSVVoltage - Supply, DigitalSVFeatures-Operating Temperature0°C ~ 7°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Sampling Rate (Per Second)	60M
Data InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, AnalogSVVoltage - Supply, DigitalSVFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Number of Inputs	1
ConfigurationS/H-ADCRatio - S/H:ADC1.1Number of A/D Converters1ArchitecturePipelinedReference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Input Type	Differential, Single Ended
Ratio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedArchitectureInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Data Interface	Parallel
Number of A/D Converters1ArchitecturePipelinedArchitectureInternalReference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Configuration	S/H-ADC
ArchitecturePipelinedReference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package-Mounting Type-	Ratio - S/H:ADC	1:1
Reference TypeInternalVoltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Number of A/D Converters	1
Voltage - Supply, Analog5VVoltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Architecture	Pipelined
Voltage - Supply, Digital5VFeatures-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Reference Type	Internal
Features-Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Voltage - Supply, Analog	5V
Operating Temperature0°C ~ 70°CPackage / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Voltage - Supply, Digital	5V
Package / Case28-SOIC (0.295", 7.50mm Width)Supplier Device Package28-SOICMounting Type-	Features	-
Supplier Device Package28-SOICMounting Type-	Operating Temperature	0° C ~ 70° C
Mounting Type -	Package / Case	28-SOIC (0.295", 7.50mm Width)
	Supplier Device Package	28-SOIC
Report errors?	Mounting Type	-
		Report errors?

HI5767/6CB-T Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

HI5767/6CB-T Payment Methods



HI5767/6CB-T Shipping Methods



If you have any question about HI5767/6CB-T, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com