



HIP6603BECBZ Information

www.halenha.com

For Reference Only

Part Number HIP6603BECBZ

Manufacturer Intersil

Category Integrated Circuits (ICs)

PMIC - Gate Drivers

DescriptionIC DRIVER MOSF SYNC BUCK 8EPSOICPackage8-SOIC (0.154", 3.90mm Width) Exposed Pad

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HIP6603BECBZ Specifications

Manufacturer Part NumberHIP6603BECBZManufacturerIntersilCategoryIntegrated Circuits (ICs)Package8-SOIC (0.154", 3.90mm Width) Exposed PadSeries-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TI)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP			
Category Integrated Circuits (ICs) PMIC - Gate Drivers Package 8-SOIC (0.154", 3.90mm Width) Exposed Pad Series - Driven Configuration Half-Bridge Channel Type Synchronous Number of Drivers 2 Gate Type N-Channel MOSFET Voltage - Supply 10.8 V ~ 13.2 V Logic Voltage - VIL, VIH - Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) 15V Rise / Fall Time (Typ) Operating Temperature 0°C ~ 125°C (TJ) Mounting Type Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Manufacturer Part Number	HIP6603BECBZ	
Package8-SOIC (0.154", 3.90mm Width) Exposed PadSeries-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP	Manufacturer	Intersil	
Package8-SOIC (0.154", 3.90mm Width) Exposed PadSeries-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP	Category	Integrated Circuits (ICs)	
Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP		PMIC - Gate Drivers	
Driven Configuration Half-Bridge Channel Type Synchronous Number of Drivers 2 Gate Type N-Channel MOSFET Voltage - Supply 10.8 V ~ 13.2 V Logic Voltage - VIL, VIH - Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Package	8-SOIC (0.154", 3.90mm Width) Exposed Pad	
Channel Type Number of Drivers 2 Gate Type N-Channel MOSFET Voltage - Supply 10.8 V ~ 13.2 V Logic Voltage - VIL, VIH - Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Series	-	
Number of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP	Driven Configuration	Half-Bridge	
Gate TypeN-Channel MOSFETVoltage - Supply10.8 V ~ 13.2 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)15VRise / Fall Time (Typ)20ns, 20nsOperating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP	Channel Type	Synchronous	
Voltage - Supply Logic Voltage - VIL, VIH - Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Number of Drivers	2	
Logic Voltage - VIL, VIH Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Gate Type	N-Channel MOSFET	
Current - Peak Output (Source, Sink) Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Voltage - Supply	10.8 V ~ 13.2 V	
Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Logic Voltage - VIL, VIH	-	
High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) Operating Temperature O°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package	Current - Peak Output (Source, Sink)	-	
Rise / Fall Time (Typ) 20ns, 20ns Operating Temperature 0°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package 8-SOIC-EP	Input Type	Non-Inverting	
Operating Temperature0°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) Exposed PadSupplier Device Package8-SOIC-EP	High Side Voltage - Max (Bootstrap)	15V	
Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package 8-SOIC-EP	Rise / Fall Time (Typ)	20ns, 20ns	
Package / Case 8-SOIC (0.154", 3.90mm Width) Exposed Pad Supplier Device Package 8-SOIC-EP	Operating Temperature	0°C ~ 125°C (TJ)	
Supplier Device Package 8-SOIC-EP	Mounting Type	Surface Mount	
	Package / Case	8-SOIC (0.154", 3.90mm Width) Exposed Pad	
Report errors?	Supplier Device Package	8-SOIC-EP	
		R	deport errors?

HIP6603BECBZ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HIP6603BECBZ Payment Methods





















HIP6603BECBZ Shipping Methods













If you have any question about HIP6603BECBZ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com