



### **HJ4-DC12V-D Information**

Heisener.com

Part Number HJ4-DC12V-D

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

**Description** RELAY GEN PURPOSE 4PDT 5A 12V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **HJ4-DC12V-D Specifications**

Manufacturer Part Number         HJ4-DC12V-D           Manufacturer         Panasonic Electric Works           Category         Relays           Power Relays, Over 2 Amps           Package         -           Series         HJ           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         75mA           Coil Voltage         12VDC           Contact Form         4PDT (4 Form C)           Contact Rating (Current)         5A           Switching Voltage         250VAC, 125VDC - Max           Turn On Voltage (Max)         9.6 VDC           Turn Off Voltage (Min)         1.2 VDC           Operate Time         20ms           Release Time         20ms           Features         Diode           Mounting Type         Socketable           Termination Style         Plug In		
CategoryRelaysPackage-SeriesHJRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage12VDCContact Form4PDT (4 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.2 VDCOperate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In	Manufacturer Part Number	HJ4-DC12V-D
Package-SeriesHJRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage12VDCContact Form4PDT (4 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.2 VDCOperate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In	Manufacturer	Panasonic Electric Works
Package-SeriesHJRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage12VDCContact Form4PDT (4 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.2 VDCOperate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In	Category	Relays
SeriesHJRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current75mACoil Voltage12VDCContact Form4PDT (4 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.2 VDCOperate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 75mA Coil Voltage 12VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.2 VDC Operate Time 20ms Release Time 20ms Release Time 5ocketable Mounting Type 5ocketable Termination Style Plug In	Package	-
Coil TypeNon LatchingCoil Current75mACoil Voltage12VDCContact Form4PDT (4 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.2 VDCOperate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In	Series	НЈ
Coil Current 75mA Coil Voltage 12VDC Contact Form 4PDT (4 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.2 VDC Operate Time 20ms Release Time 20ms Features Diode Mounting Type Socketable Termination Style Plug In	Relay Type	General Purpose
Coil Voltage 12VDC  Contact Form 4PDT (4 Form C)  Contact Rating (Current) 5A  Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 9.6 VDC  Turn Off Voltage (Min) 1.2 VDC  Operate Time 20ms  Release Time 20ms  Release Time Diode  Mounting Type Socketable  Termination Style Plug In	Coil Type	Non Latching
Contact Form 4PDT (4 Form C)  Contact Rating (Current) 5A  Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 9.6 VDC  Turn Off Voltage (Min) 1.2 VDC  Operate Time 20ms  Release Time 20ms  Release Time Diode  Mounting Type Socketable  Termination Style Plug In	Coil Current	75mA
Contact Rating (Current)  Switching Voltage  250VAC, 125VDC - Max  Turn On Voltage (Max)  9.6 VDC  Turn Off Voltage (Min)  1.2 VDC  Operate Time  20ms  Release Time  20ms  Features  Diode  Mounting Type  Socketable  Termination Style	Coil Voltage	12VDC
Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 9.6 VDC  Turn Off Voltage (Min) 1.2 VDC  Operate Time 20ms  Release Time 20ms  Features Diode  Mounting Type Socketable  Termination Style Plug In	Contact Form	4PDT (4 Form C)
Turn On Voltage (Max)  7 Turn Off Voltage (Min)  1.2 VDC  Operate Time  20ms  Release Time  20ms  Features  Diode  Mounting Type  Socketable  Termination Style	Contact Rating (Current)	5A
Turn Off Voltage (Min)  Operate Time  20ms  Release Time  20ms  Features  Diode  Mounting Type  Socketable  Termination Style  1.2 VDC  20ms  Plug In	Switching Voltage	250VAC, 125VDC - Max
Operate Time20msRelease Time20msFeaturesDiodeMounting TypeSocketableTermination StylePlug In	Turn On Voltage (Max)	9.6 VDC
Release Time 20ms Features Diode Mounting Type Socketable Termination Style Plug In	Turn Off Voltage (Min)	1.2 VDC
Features Diode Mounting Type Socketable Termination Style Plug In	Operate Time	20ms
Mounting Type Socketable Termination Style Plug In	Release Time	20ms
Termination Style Plug In	Features	Diode
	Mounting Type	Socketable
Report errors?	Termination Style	Plug In
		Report errors?

#### **HJ4-DC12V-D Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **HJ4-DC12V-D Payment Methods**



















### **HJ4-DC12V-D Shipping Methods**













If you have any question about HJ4-DC12V-D, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com