



HLMP-C215 Information



Part Number HLMP-C215
Manufacturer Broadcom Limited
Category Optoelectronics

LED Indication - Discrete

Description LED RED CLEAR 5MM ROUND T/H

Package Radia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HLMP-C215 Specifications

Category Optoelectronics LED Indication - Discrete Package Radial Series - Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm			
Category Optoelectronics LED Indication - Discrete Package Radial Series - Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Manufacturer Part Number	HLMP-C215	
LED Indication - Discrete Package Radial Series - Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Manufacturer	Broadcom Limited	
Package Radial Series - Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Category	Optoelectronics	
Series - Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm		LED Indication - Discrete	
Color Red Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Package	Radial	
Configuration - Lens Color Red Lens Transparency Clear Millicandela Rating 300mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Series	-	
Lens ColorRedLens TransparencyClearMillicandela Rating300mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.80mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle15°Mounting TypeThrough HoleWavelength - Dominant626nmWavelength - Peak635nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.91mm	Color	Red	
Lens TransparencyClearMillicandela Rating300mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.80mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle15°Mounting TypeThrough HoleWavelength - Dominant626nmWavelength - Peak635nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.91mm	Configuration	-	
Millicandela Rating Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension Height (Max) 8.91mm	Lens Color	Red	
Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.80mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Lens Transparency	Clear	
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 1.9V 20mA 20m	Millicandela Rating	300mcd	
Current - Test 20mA Viewing Angle 15° Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Lens Style/Size	Round with Domed Top, 5mm (T-1 3/4), 5.80mm	
Viewing Angle Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 15° Through Hole 626nm 626nm 627 Fax 635nm - Radial 831 831 831 831 831	Voltage - Forward (Vf) (Typ)	1.9V	
Mounting Type Through Hole Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Current - Test	20mA	
Wavelength - Dominant 626nm Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Viewing Angle	15°	
Wavelength - Peak 635nm Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Mounting Type	Through Hole	
Features - Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Wavelength - Dominant	626nm	
Package / Case Radial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Wavelength - Peak	635nm	
Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 8.91mm	Features	-	
Size / Dimension - Height (Max) 8.91mm	Package / Case	Radial	
Height (Max) 8.91mm	Supplier Device Package	T-1 3/4	
	Size / Dimension	-	
Report errors?	Height (Max)	8.91mm	
The post of the last			Report errors?

HLMP-C215 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HLMP-C215 Payment Methods





















HLMP-C215 Shipping Methods













If you have any question about HLMP-C215, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com