

**HM56-11120R36LF Information**


For Reference Only

**Part Number** [HM56-11120R36LF](#)  
**Manufacturer** TT Electronics/BI Magnetics  
**Category** Inductors, Coils, Chokes  
[Fixed Inductors](#)  
**Description** FIXED IND 370NH 58A 0.8 MOHM TH  
**Package** Radial  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)


[Request a Quote](#)
**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**HM56-11120R36LF Specifications**

Manufacturer Part Number	<a href="#">HM56-11120R36LF</a>
Manufacturer	TT Electronics/BI Magnetics
Category	Inductors, Coils, Chokes <a href="#">Fixed Inductors</a>
Package	Radial
Series	HM56
Type	Wirewound
Material - Core	Ferrite
Inductance	370nH
Tolerance	±15%
Current Rating	58A
Current - Saturation	77A
Shielding	Shielded
DC Resistance (DCR)	0.8 mOhm
Q @ Freq	-
Frequency - Self Resonant	-
Ratings	-
Operating Temperature	-40°C ~ 125°C
Frequency - Test	100kHz
Features	-
Mounting Type	Through Hole
Package / Case	Radial
Supplier Device Package	-
Size / Dimension	0.433" L x 0.461" W (11.00mm x 11.70mm)

Height - Seated (Max)

0.394" (10.00mm)

[Report errors?](#)

## HM56-11120R36LF Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## HM56-11120R36LF Payment Methods



## HM56-11120R36LF Shipping Methods



If you have any question about HM56-11120R36LF, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)