



HMM44DRYI-S13 Information

Heisener.com

Part Number HMM44DRYI-S13

Manufacturer Sullins Connector Solutions
Category Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

Description CONN EDGE DUAL FMALE 88POS 0.156

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HMM44DRYI-S13 Specifications

Operating reinperature	Report error	rs?
Flange Feature Operating Temperature	Top Mount Opening, Threaded Insert, 4-40 -65°C ~ 125°C	
Color	Blue Ton Mount Opening Threeded Insert 4 40	
Contact Type	Full Bellows	
Contact Finish Thickness	30μin (0.76μm)	
Contact Finish	Gold	
Contact Material	Beryllium Copper	
Termination	Solder	
Mounting Type	Board Edge, Straddle Mount	
Features	Card Extender	
Pitch	0.156" (3.96mm)	
Number of Rows	2	
Card Thickness	0.062" (1.57mm)	
Number of Positions	88	
Number of Positions/Bay/Row	44	
Gender	Female	
Card Type	Non Specified - Dual Edge	
Series	-	
Package	-	
	Card Edge Connectors - Edgeboard Connectors	
Category	Connectors, Interconnects	
Manufacturer	Sullins Connector Solutions	
Manufacturer Part Number	HMM44DRYI-S13	

HMM44DRYI-S13 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HMM44DRYI-S13 Payment Methods



















HMM44DRYI-S13 Shipping Methods













If you have any question about HMM44DRYI-S13, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com