



HR10A-13P-20P Information

Heisener.com

Part Number HR10A-13P-20P

Manufacturer Hirose Electric Co Ltd

Category Connectors, Interconnects
Circular Connectors

Description CONN PLUG 20POS MALE SOLDER

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HR10A-13P-20P Specifications

Manufacturer Part NumberHR10A-13P-20PManufacturerHirose Electric Co LtdCategoryConnectors, InterconnectsPackage-SeriesHR10AConnector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A		
CategoryConnectors, InterconnectsPackage-SeriesHR10AConnector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Manufacturer Part Number	HR10A-13P-20P
Package-SeriesHR10AConnector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Manufacturer	Hirose Electric Co Ltd
Package-SeriesHR10AConnector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Category	Connectors, Interconnects
SeriesHR10AConnector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Package	-
Number of Positions20Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Series	HR10A
Shell Size - Insert13Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Number of Positions	20
Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeaturesCable ClampVoltage - Rated-Current Rating2A	Shell Size - Insert	13
Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Shell Size, MIL	-
Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Termination	Solder Cup
Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Fastening Type	Push-Pull
Shell Material, Finish Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating Brass and Zinc, Nickel Plated Cilver Cable Clamp - Cable Clamp	Orientation	Keyed
Contact Finish Silver Features Cable Clamp Voltage - Rated - Current Rating 2A	Ingress Protection	-
Features Cable Clamp Voltage - Rated - Current Rating 2A	Shell Material, Finish	Brass and Zinc, Nickel Plated
Voltage - Rated - Current Rating 2A	Contact Finish	Silver
Current Rating 2A	Features	Cable Clamp
	Voltage - Rated	-
Report errors?	Current Rating	2A
		Report errors?

HR10A-13P-20P Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HR10A-13P-20P Payment Methods



















HR10A-13P-20P Shipping Methods













If you have any question about HR10A-13P-20P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com