

HR212-10P-8P(72) Information



For Reference Only

Part Number HR212-10P-8P(72)

Manufacturer Hirose Electric Co Ltd

Category Connectors, Interconnects
Circular Connectors

Description CONN PLUG 8POS VERT SOLDER TIN

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HR212-10P-8P(72) Specifications

Manufacturer Part NumberHR212-10P-8P(72)ManufacturerHirose Electric Co LtdCategoryConnectors, InterconnectsPackage-SeriesHR212Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1AReport errors?		
CategoryConnectors, InterconnectsPackage-SeriesHR212Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Manufacturer Part Number	HR212-10P-8P(72)
PackageCircular ConnectorsSeriesHR212Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Manufacturer	Hirose Electric Co Ltd
Package-SeriesHR212Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Category	Connectors, Interconnects
SeriesHR212Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Package	-
Number of Positions8Shell Size - Insert10Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Series	HR212
Shell Size - Insert Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated LOVAC Current Rating	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Number of Positions	8
Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishTinFeaturesShieldedVoltage - Rated100VACCurrent Rating1A	Shell Size - Insert	10
Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Shell Size, MIL	-
Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Termination	Solder
Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Fastening Type	Push-Pull
Shell Material, Finish Contact Finish Tin Features Shielded Voltage - Rated Current Rating Brass and Zinc, Nickel Plated Tin 100VAC	Orientation	Keyed
Contact Finish Tin Features Shielded Voltage - Rated 100VAC Current Rating 1A	Ingress Protection	-
Features Shielded Voltage - Rated 100VAC Current Rating 1A	Shell Material, Finish	Brass and Zinc, Nickel Plated
Voltage - Rated 100VAC Current Rating 1A	Contact Finish	Tin
Current Rating 1A	Features	Shielded
	Voltage - Rated	100VAC
Report errors?	Current Rating	1A
		Report errors?

HR212-10P-8P(72) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HR212-10P-8P(72) Payment Methods



















HR212-10P-8P(72) Shipping Methods













If you have any question about HR212-10P-8P(72), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com