

HS150 47K J Information



For Reference Only

Part Number HS150 47K J Manufacturer Ohmite

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 47K OHM 5% 150W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HS150 47K J Specifications

Manufacturer Part Number HS150 47K J Manufacturer Ohmite Category Resistors Package Axial, Box Series ARCOL, HS Resistance 47 kOhms Tolerance ±5% Power (Watts) 150W Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate Pencert arrors 2			
CategoryResistorsPackageAxial, BoxSeriesARCOL, HSResistance47 kOhmsTolerance±5%Power (Watts)150WCompositionWirewoundTemperature Coefficient±25ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension3.846" L x 1.075" W (97.70mm x 27.30mm)Height - Seated (Max)0.949" (24.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Manufacturer Part Number	HS150 47K J	
Chassis Mount Resistors Package Axial, Box Series ARCOL, HS Resistance 47 kOhms Tolerance ±5% Power (Watts) 150W Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer	Ohmite	
Package Axial, Box Series ARCOL, HS Resistance 47 kOhms Tolerance ±5% Power (Watts) 150W Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Category	Resistors	
Series ARCOL, HS Resistance 47 kOhms Tolerance ±5% Power (Watts) 150W Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -		Chassis Mount Resistors	
Resistance47 kOhmsTolerance±5%Power (Watts)150WCompositionWirewoundTemperature Coefficient±25ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension3.846" L x 1.075" W (97.70mm x 27.30mm)Height - Seated (Max)0.949" (24.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box	
Tolerance ±5% Power (Watts) 150W Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	ARCOL, HS	
Power (Watts) Composition Wirewound Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate -	Resistance	47 kOhms	
CompositionWirewoundTemperature Coefficient±25ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension3.846" L x 1.075" W (97.70mm x 27.30mm)Height - Seated (Max)0.949" (24.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Tolerance	±5%	
Temperature Coefficient ±25ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	150W	
Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Composition	Wirewound	
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±25ppm/°C	
Coating, Housing Type Mounting Feature Flanges Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-	
Mounting Feature Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Package / Case Axial, Box Failure Rate -	Features	-	
Size / Dimension 3.846" L x 1.075" W (97.70mm x 27.30mm) Height - Seated (Max) 0.949" (24.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum	
Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate	Mounting Feature	Flanges	
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	3.846" L x 1.075" W (97.70mm x 27.30mm)	
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.949" (24.10mm)	
Failure Rate -	Lead Style	Solder Lugs	
	Package / Case	Axial, Box	
Papart arrors?	Failure Rate	-	
Report errors:		Report errors?	?

HS150 47K J Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HS150 47K J Payment Methods



















HS150 47K J Shipping Methods













If you have any question about HS150 47K J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com