



HSA103K3J Information

Heisener.com

Part Number HSA103K3J

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 3.3K OHM 5% 16W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HSA103K3J Specifications

Manufacturer Part Number HSA103K3J Manufacturer TE Connectivity Passive Product Category Resistors Chassis Mount Resistors Package Axial, Box Series HS, CGS Resistance 3.3 kOhms Tolerance ±5% Power (Watts) 16W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate - Report errors?		
Category Resistors Package Axial, Box Series HS, CGS Resistance 3.3 kOhms Tolerance ±5% Power (Watts) 16W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer Part Number	HSA103K3J
Chassis Mount Resistors Package Axial, Box Series HS, CGS Resistance 3.3 kOhms Tolerance ±5% Power (Watts) 16W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer	TE Connectivity Passive Product
PackageAxial, BoxSeriesHS, CGSResistance3.3 kOhmsTolerance±5%Power (Watts)16WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.827" L x 0.827" W (21.00mm x 21.00mm)Height - Seated (Max)0.433" (11.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Category	Resistors
Series HS, CGS Resistance 3.3 kOhms Tolerance ±5% Power (Watts) 16W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -		Chassis Mount Resistors
Resistance3.3 kOhmsTolerance±5%Power (Watts)16WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.827" L x 0.827" W (21.00mm x 21.00mm)Height - Seated (Max)0.433" (11.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5% Power (Watts) 16W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	HS, CGS
Power (Watts) Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 1.43" (11.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Resistance	3.3 kOhms
Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Tolerance	±5%
Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	16W
Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±30ppm/°C
Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-55°C ~ 200°C
Mounting Feature Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Features	-
Size / Dimension 0.827" L x 0.827" W (21.00mm x 21.00mm) Height - Seated (Max) 0.433" (11.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate	Mounting Feature	Flanges
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	0.827" L x 0.827" W (21.00mm x 21.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.433" (11.00mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

HSA103K3J Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HSA103K3J Payment Methods



















HSA103K3J Shipping Methods













If you have any question about HSA103K3J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com