



### **HSA50470RF Information**

Heisener.com

Part Number HSA50470RF

Manufacturer TE Connectivity Passive Product

**Category** Resistors

**Chassis Mount Resistors** 

**Description** RES CHAS MNT 470 OHM 1% 50W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **HSA50470RF Specifications**

Manufacturer Part Number       HSA50470RF         Manufacturer       TE Connectivity Passive Product         Category       Resistors         Package       Axial, Box         Series       HS, CGS         Resistance       470 Ohms         Tolerance       ±1%         Power (Watts)       50W         Composition       Wirewound         Temperature Coefficient       ±30ppm/°C         Operating Temperature       -55°C ~ 200°C         Features       -         Coating, Housing Type       Aluminum         Mounting Feature       Flanges         Size / Dimension       2.008" L x 1.181" W (51.00mm x 30.00mm)         Height - Seated (Max)       0.669" (17.00mm)         Lead Style       Solder Lugs         Package / Case       Axial, Box         Failure Rate       -         Report errors?	<u>-</u>	
Category         Resistors           Chassis Mount Resistors           Package         Axial, Box           Series         HS, CGS           Resistance         470 Ohms           Tolerance         ±1%           Power (Watts)         50W           Composition         Wirewound           Temperature Coefficient         ±30ppm/°C           Operating Temperature         -55°C ~ 200°C           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         2.008" L x 1.181" W (51.00mm x 30.00mm)           Height - Seated (Max)         0.669" (17.00mm)           Lead Style         Solder Lugs           Package / Case         Axial, Box           Failure Rate         -	Manufacturer Part Number	HSA50470RF
Chassis Mount Resistors  Package Axial, Box  HS, CGS  Resistance 470 Ohms  Tolerance ±1%  Power (Watts) 50W  Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features - Coating, Housing Type Aluminum  Mounting Feature Flanges Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -	Manufacturer	TE Connectivity Passive Product
Package Axial, Box  Series HS, CGS  Resistance 470 Ohms  Tolerance ±1%  Power (Watts) 50W  Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features - Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate	Category	Resistors
Series       HS, CGS         Resistance       470 Ohms         Tolerance       ±1%         Power (Watts)       50W         Composition       Wirewound         Temperature Coefficient       ±30ppm/°C         Operating Temperature       -55°C ~ 200°C         Features       -         Coating, Housing Type       Aluminum         Mounting Feature       Flanges         Size / Dimension       2.008" L x 1.181" W (51.00mm x 30.00mm)         Height - Seated (Max)       0.669" (17.00mm)         Lead Style       Solder Lugs         Package / Case       Axial, Box         Failure Rate       -		Chassis Mount Resistors
Resistance       470 Ohms         Tolerance       ±1%         Power (Watts)       50W         Composition       Wirewound         Temperature Coefficient       ±30ppm/°C         Operating Temperature       -55°C ~ 200°C         Features       -         Coating, Housing Type       Aluminum         Mounting Feature       Flanges         Size / Dimension       2.008" L x 1.181" W (51.00mm x 30.00mm)         Height - Seated (Max)       0.669" (17.00mm)         Lead Style       Solder Lugs         Package / Case       Axial, Box         Failure Rate       -	Package	Axial, Box
Tolerance ±1%  Power (Watts) 50W  Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -	Series	HS, CGS
Power (Watts)  Composition  Wirewound  Temperature Coefficient  ±30ppm/°C  Operating Temperature  -55°C ~ 200°C  Features  - Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max)  Lead Style  Package / Case  Axial, Box  Failure Rate  -	Resistance	470 Ohms
Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features - Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -	Tolerance	±1%
Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -	Power (Watts)	50W
Operating Temperature  -55°C ~ 200°C  Features  - Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max)  0.669" (17.00mm)  Lead Style  Solder Lugs  Package / Case  Axial, Box  Failure Rate  -	Composition	Wirewound
Features - Coating, Housing Type Aluminum  Mounting Feature Flanges Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm) Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±30ppm/°C
Coating, Housing Type  Mounting Feature  Flanges  Size / Dimension  2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max)  0.669" (17.00mm)  Lead Style  Solder Lugs  Package / Case  Axial, Box  Failure Rate  -	Operating Temperature	-55°C ~ 200°C
Mounting Feature  Size / Dimension  2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max)  0.669" (17.00mm)  Lead Style  Package / Case  Axial, Box  Failure Rate  Flanges  2.008" L x 1.181" W (51.00mm x 30.00mm)  Axial, Box  -	Features	-
Size / Dimension 2.008" L x 1.181" W (51.00mm x 30.00mm)  Height - Seated (Max) 0.669" (17.00mm)  Lead Style Solder Lugs  Package / Case Axial, Box  Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max)  Lead Style  Package / Case  Failure Rate  0.669" (17.00mm)  Solder Lugs  Axial, Box  -	Mounting Feature	Flanges
Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Size / Dimension	2.008" L x 1.181" W (51.00mm x 30.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.669" (17.00mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

#### **HSA50470RF** Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **HSA50470RF Payment Methods**



















## **HSA50470RF Shipping Methods**













If you have any question about HSA50470RF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com