



HSC2504R7J Information

Part Number HSC2504R7J

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 4.7 OHM 5% 250W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









HSC2504R7J Specifications

Manufacturer Part Number HSC2504R7J Manufacturer TE Connectivity Passive Product Category Resistors Package Axial, Box Series HS, CGS Resistance 4.7 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate - Report errors?	•	
Category Resistors Chassis Mount Resistors Package Axial, Box Series HS, CGS Resistance 4.7 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Package / Case Axial, Box Failure Rate	Manufacturer Part Number	HSC2504R7J
Chassis Mount Resistors Package Axial, Box Series HS, CGS Resistance 4.7 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Manufacturer	TE Connectivity Passive Product
PackageAxial, BoxSeriesHS, CGSResistance4.7 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±50ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension4.291" L x 2.874" W (109.00mm x 73.00mm)Height - Seated (Max)1.650" (42.00mm)Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Category	Resistors
SeriesHS, CGSResistance4.7 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±50ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension4.291" L x 2.874" W (109.00mm x 73.00mm)Height - Seated (Max)1.650" (42.00mm)Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-		Chassis Mount Resistors
Resistance4.7 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±50ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension4.291" L x 2.874" W (109.00mm x 73.00mm)Height - Seated (Max)1.650" (42.00mm)Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Series	HS, CGS
Power (Watts) Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Resistance	4.7 Ohms
Composition Wirewound Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Tolerance	±5%
Temperature Coefficient ±50ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Power (Watts)	250W
Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Package / Case Axial, Box Failure Rate - - - - - - - - - - - - -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±50ppm/°C
Coating, Housing Type Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Package / Case Axial, Box Failure Rate Aluminum Flanges A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm) - A.291" L x 2.874" W (109.00mm x 73.00mm)	Operating Temperature	-55°C ~ 200°C
Mounting Feature Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Features	-
Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm) Height - Seated (Max) 1.650" (42.00mm) Lead Style Terminal Screw Type Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Failure Rate 1.650" (42.00mm) Terminal Screw Type Axial, Box -	Mounting Feature	Flanges
Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Size / Dimension	4.291" L x 2.874" W (109.00mm x 73.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	1.650" (42.00mm)
Failure Rate -	Lead Style	Terminal Screw Type
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

HSC2504R7J Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

HSC2504R7J Payment Methods



















HSC2504R7J Shipping Methods













If you have any question about HSC2504R7J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com