



## **HSC250680RJ Information**

Heisener.com

Part Number HSC250680RJ

Manufacturer TE Connectivity Passive Product

**Category** Resistors

**Chassis Mount Resistors** 

**Description** RES CHAS MNT 680 OHM 5% 250W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **HSC250680RJ Specifications**

Manufacturer Part Number         HSC250680RJ           Manufacturer         TE Connectivity Passive Product           Category         Resistors           Package         Axial, Box           Series         HS, CGS           Resistance         680 Ohms           Tolerance         ±5%           Power (Watts)         250W           Composition         Wirewound           Temperature Coefficient         ±30ppm/°C           Operating Temperature         -55°C ~ 200°C           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         4.291" L x 2.874" W (109.00mm x 73.00mm)           Height - Seated (Max)         1.650" (42.00mm)           Lead Style         Terminal Screw Type           Package / Case         Axial, Box           Failure Rate         -		
Category         Resistors           Package         Axial, Box           Series         HS, CGS           Resistance         680 Ohms           Tolerance         ±5%           Power (Watts)         250W           Composition         Wirewound           Temperature Coefficient         ±30ppm/°C           Operating Temperature         -55°C ~ 200°C           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         4.291" L x 2.874" W (109.00mm x 73.00mm)           Height - Seated (Max)         1.650" (42.00mm)           Lead Style         Terminal Screw Type           Package / Case         Axial, Box           Failure Rate         -	Manufacturer Part Number	HSC250680RJ
Chassis Mount Resistors  Package Axial, Box  Series HS, CGS  Resistance 680 Ohms  Tolerance ±5%  Power (Watts) 250W  Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features - Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate	Manufacturer	TE Connectivity Passive Product
PackageAxial, BoxSeriesHS, CGSResistance680 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension4.291" L x 2.874" W (109.00mm x 73.00mm)Height - Seated (Max)1.650" (42.00mm)Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Category	Resistors
Series         HS, CGS           Resistance         680 Ohms           Tolerance         ±5%           Power (Watts)         250W           Composition         Wirewound           Temperature Coefficient         ±30ppm/°C           Operating Temperature         -55°C ~ 200°C           Features         -           Coating, Housing Type         Aluminum           Mounting Feature         Flanges           Size / Dimension         4.291" L x 2.874" W (109.00mm x 73.00mm)           Height - Seated (Max)         1.650" (42.00mm)           Lead Style         Terminal Screw Type           Package / Case         Axial, Box           Failure Rate         -		Chassis Mount Resistors
Resistance680 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension4.291" L x 2.874" W (109.00mm x 73.00mm)Height - Seated (Max)1.650" (42.00mm)Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5%  Power (Watts) 250W  Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate	Series	HS, CGS
Power (Watts)  Composition  Wirewound  Temperature Coefficient  ±30ppm/°C  Operating Temperature  -55°C ~ 200°C  Features  - Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max)  1.650" (42.00mm)  Lead Style  Terminal Screw Type  Package / Case  Axial, Box  Failure Rate  -	Resistance	680 Ohms
Composition Wirewound  Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate -	Tolerance	±5%
Temperature Coefficient ±30ppm/°C  Operating Temperature -55°C ~ 200°C  Features -  Coating, Housing Type Aluminum  Mounting Feature Flanges  Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate -	Power (Watts)	250W
Operating Temperature  -55°C ~ 200°C  Features  - Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max)  1.650" (42.00mm)  Lead Style  Package / Case  Axial, Box  Failure Rate  -  -  -  -  -  -  -  -  -  -  -  -  -	Composition	Wirewound
Features - Coating, Housing Type Aluminum  Mounting Feature Flanges Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate	Temperature Coefficient	±30ppm/°C
Coating, Housing Type  Aluminum  Mounting Feature  Flanges  Size / Dimension  4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max)  1.650" (42.00mm)  Lead Style  Package / Case  Axial, Box  Failure Rate  -	Operating Temperature	-55°C ~ 200°C
Mounting Feature  Flanges  Size / Dimension  4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max)  1.650" (42.00mm)  Lead Style  Package / Case  Axial, Box  Failure Rate  Failure Rate	Features	-
Size / Dimension 4.291" L x 2.874" W (109.00mm x 73.00mm)  Height - Seated (Max) 1.650" (42.00mm)  Lead Style Terminal Screw Type  Package / Case Axial, Box  Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max)  Lead Style  Package / Case  Failure Rate  1.650" (42.00mm)  Terminal Screw Type  Axial, Box  -	Mounting Feature	Flanges
Lead StyleTerminal Screw TypePackage / CaseAxial, BoxFailure Rate-	Size / Dimension	4.291" L x 2.874" W (109.00mm x 73.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	1.650" (42.00mm)
Failure Rate -	Lead Style	Terminal Screw Type
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

#### **HSC250680RJ Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **HSC250680RJ Payment Methods**



















### **HSC250680RJ Shipping Methods**













If you have any question about HSC250680RJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com