

# **HSCDLNN015PGSA3**

### **HSCDLNN015PGSA3 Information**



For Reference Only

Part Number HSCDLNN015PGSA3

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

**Description**SENSOR PRES 15PSI GAUG 3.3V DIP**Package**8-DIP (0.524", 13.30mm), Top Port

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **HSCDLNN015PGSA3** Specifications

Manufacturer Part Number     HSCDLNN015PGSA3       Manufacturer     Honeywell Sensing and Productivity Solutions       Category     Sensors, Transducers       Package     8-DIP (0.524", 13.30mm), Top Port       Series     TruStability? HSC       Pressure Type     Vented Gauge       Operating Pressure     15 PSI (103.42 kPa)       Output Type     SPI       Output     12 b       Accuracy     ±0.25%       Voltage - Supply     3 V ~ 3.6 V       Port Size     Male - 0.1" (2.47mm) Tube       Port Style     Barbless       Features     Amplified Output, Temperature Compensated       Termination Style     PC Pin       Maximum Pressure     30 PSI (206.84 kPa)       Operating Temperature     -20°C ~ 85°C       Package / Case     8-DIP (0.524", 13.30mm), Top Port       Supplier Device Package     8-DIP			
Category         Sensors, Transducers           Package         8-DIP (0.524", 13.30mm), Top Port           Series         TruStability? HSC           Pressure Type         Vented Gauge           Operating Pressure         15 PSI (103.42 kPa)           Output Type         SPI           Output         12 b           Accuracy         ±0.25%           Voltage - Supply         3 V ~ 3.6 V           Port Size         Male - 0.1" (2.47mm) Tube           Port Style         Barbless           Features         Amplified Output, Temperature Compensated           Termination Style         PC Pin           Maximum Pressure         30 PSI (206.84 kPa)           Operating Temperature         -20°C ~ 85°C           Package / Case         8-DIP (0.524", 13.30mm), Top Port           Supplier Device Package         8-DIP	Manufacturer Part Number	HSCDLNN015PGSA3	
Package 8-DIP (0.524", 13.30mm), Top Port  Series TruStability? HSC  Pressure Type Vented Gauge  Operating Pressure  Output Type SPI  Output 12 b  Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature - 20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package	Manufacturer	Honeywell Sensing and Productivity Solutions	
Package8-DIP (0.524", 13.30mm), Top PortSeriesTruStability? HSCPressure TypeVented GaugeOperating Pressure15 PSI (103.42 kPa)Output TypeSPIOutput12 bAccuracy±0.25%Voltage - Supply3 V ~ 3.6 VPort SizeMale - 0.1" (2.47mm) TubePort StyleBarblessFeaturesAmplified Output, Temperature CompensatedTermination StylePC PinMaximum Pressure30 PSI (206.84 kPa)Operating Temperature-20°C ~ 85°CPackage / Case8-DIP (0.524", 13.30mm), Top PortSupplier Device Package8-DIP	Category	Sensors, Transducers	
Series TruStability? HSC  Pressure Type Vented Gauge  Operating Pressure 15 PSI (103.42 kPa)  Output Type SPI  Output 12 b  Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package		Pressure Sensors, Transducers	
Pressure Type Vented Gauge  Operating Pressure 15 PSI (103.42 kPa)  Output Type SPI  Output 12 b  Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Package	8-DIP (0.524", 13.30mm), Top Port	
Operating Pressure Output Type SPI Output 12 b Accuracy ±0.25% Voltage - Supply 3 V ~ 3.6 V Port Size Male - 0.1" (2.47mm) Tube Port Style Barbless Features Amplified Output, Temperature Compensated Termination Style PC Pin Maximum Pressure 30 PSI (206.84 kPa) Operating Temperature -20°C ~ 85°C Package / Case S-DIP (0.524", 13.30mm), Top Port Supplier Device Package	Series	TruStability? HSC	
Output Type Output  12 b  Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Pressure Type	Vented Gauge	
Output 12 b  Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Operating Pressure	15 PSI (103.42 kPa)	
Accuracy ±0.25%  Voltage - Supply 3 V ~ 3.6 V  Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Output Type	SPI	
Voltage - Supply  3 V ~ 3.6 V  Port Size  Male - 0.1" (2.47mm) Tube  Port Style  Barbless  Features  Amplified Output, Temperature Compensated  Termination Style  PC Pin  Maximum Pressure  30 PSI (206.84 kPa)  Operating Temperature  -20°C ~ 85°C  Package / Case  8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package	Output	12 b	
Port Size Male - 0.1" (2.47mm) Tube  Port Style Barbless  Features Amplified Output, Temperature Compensated  Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Accuracy	±0.25%	
Port Style  Barbless  Features  Amplified Output, Temperature Compensated  Termination Style  PC Pin  Maximum Pressure  30 PSI (206.84 kPa)  Operating Temperature  -20°C ~ 85°C  Package / Case  8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package	Voltage - Supply	3 V ~ 3.6 V	
Features  Amplified Output, Temperature Compensated  PC Pin  Maximum Pressure  30 PSI (206.84 kPa)  Operating Temperature  -20°C ~ 85°C  Package / Case  8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package	Port Size	Male - 0.1" (2.47mm) Tube	
Termination Style PC Pin  Maximum Pressure 30 PSI (206.84 kPa)  Operating Temperature -20°C ~ 85°C  Package / Case 8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package 8-DIP	Port Style	Barbless	
Maximum Pressure  30 PSI (206.84 kPa)  Operating Temperature  -20°C ~ 85°C  Package / Case  8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package  8-DIP	Features	Amplified Output, Temperature Compensated	
Operating Temperature  -20°C ~ 85°C  Package / Case  8-DIP (0.524", 13.30mm), Top Port  Supplier Device Package  8-DIP	Termination Style	PC Pin	
Package / Case 8-DIP (0.524", 13.30mm), Top Port Supplier Device Package 8-DIP	Maximum Pressure	30 PSI (206.84 kPa)	
Supplier Device Package 8-DIP	Operating Temperature	-20°C ~ 85°C	
	Package / Case	8-DIP (0.524", 13.30mm), Top Port	
Report errors?	Supplier Device Package	8-DIP	
The post strongs.			Report errors?

#### **HSCDLNN015PGSA3** Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **HSCDLNN015PGSA3 Payment Methods**



















### **HSCDLNN015PGSA3** Shipping Methods













If you have any question about HSCDLNN015PGSA3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com