

IL-FPR-U28S-HF-N1

IL-FPR-U28S-HF-N1 Information

Heisener.com

Part Number IL-FPR-U28S-HF-N1 Manufacturer JAE Electronics

Category Connectors, Interconnects

FFC, FPC (Flat Flexible) Connectors

Description CONN FPC TOP 28POS 0.50MM R/A

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









IL-FPR-U28S-HF-N1 Specifications

Manufacturer Part Number	IL-FPR-U28S-HF-N1
Manufacturer	JAE Electronics
Category	Connectors, Interconnects
	FFC, FPC (Flat Flexible) Connectors
Package	-
Series	IL-FPR
Flat Flex Type	FPC
Mounting Type	Surface Mount, Right Angle
Connector/Contact Type	Contacts, Top
Number of Positions	28
Pitch	0.020" (0.50mm)
Termination	Solder
FFC, FCB Thickness	0.30mm
Height Above Board	0.075" (1.90mm)
Locking Feature	Slide Lock
Cable End Type	Tapered
Contact Material	Copper Alloy
Contact Finish	Gold
Housing Material	Polyphenylene Sulfide (PPS), Glass Filled
Actuator Material	Polyphenylene Sulfide (PPS), Glass Filled
Features	Zero Insertion Force (ZIF)
Voltage Rating	50V
Operating Temperature	-40°C ~ 85°C
Material Flammability Rating	UL94 V-0

IL-FPR-U28S-HF-N1 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

IL-FPR-U28S-HF-N1 Payment Methods



















IL-FPR-U28S-HF-N1 Shipping Methods













If you have any question about IL-FPR-U28S-HF-N1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com