

INA321EA/250 Information



For Reference Only

Part Number INA321EA/250

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

DescriptionIC OPAMP INSTR 500KHZ RRO 8VSSOP**Package**8-TSSOP, 8-MSOP (0.118", 3.00mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









INA321EA/250 Specifications

Manufacturer Part Number Manufacturer Texas Instruments Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Series - Amplifier Type Instrumentation Number of Circuits Output Type Rail-to-Rail Slew Rate 0.4 V/µs Gain Bandwidth Product -3db Bandwidth 500kHz	
CategoryIntegrated Circuits (ICs)Linear - Amplifiers - Instrumentation, OP Amps, Buffer AmpsPackage8-TSSOP, 8-MSOP (0.118", 3.00mm Width)Series-Amplifier TypeInstrumentationNumber of Circuits1Output TypeRail-to-RailSlew Rate0.4 V/μsGain Bandwidth Product3db Bandwidth500kHz	
Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Series - Amplifier Type Instrumentation Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.4 V/µs Gain Bandwidth Product -3db Bandwidth 500kHz	
Package8-TSSOP, 8-MSOP (0.118", 3.00mm Width)Series-Amplifier TypeInstrumentationNumber of Circuits1Output TypeRail-to-RailSlew Rate0.4 V/μsGain Bandwidth Product3db Bandwidth500kHz	
Series - Amplifier Type Instrumentation Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.4 V/μs Gain Bandwidth Product - -3db Bandwidth 500kHz	
Amplifier Type Instrumentation Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.4 V/µs Gain Bandwidth Product3db Bandwidth 500kHz	
Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.4 V/µs Gain Bandwidth Product -3db Bandwidth 500kHz	
Output Type Rail-to-Rail Slew Rate 0.4 V/µs Gain Bandwidth Product3db Bandwidth 500kHz	
Slew Rate 0.4 V/μs Gain Bandwidth Product3db Bandwidth 500kHz	
Gain Bandwidth Product3db Bandwidth 500kHz	
-3db Bandwidth 500kHz	
Current - Input Bias 0.5pA	
Voltage - Input Offset 200µV	
Current - Supply 40µA	
Current - Output / Channel 16mA	
Voltage - Supply, Single/Dual (\pm) 2.5 V ~ 5.5 V, \pm 1.25 V ~ 2.75 V	
Operating Temperature -55°C ~ 125°C	
Mounting Type Surface Mount	
Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	
Supplier Device Package 8-VSSOP	
Repo	

INA321EA/250 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

INA321EA/250 Payment Methods



















INA321EA/250 Shipping Methods













If you have any question about INA321EA/250, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com