

IR2154S

IR2154S Information



Part NumberIR2154SManufacturerInfineon TechnologiesCategoryIntegrated Circuits (ICs)
PMIC - Gate DriversDescriptionIC DRVR HALF BRDG SELF-OSC 8SOICPackage8-SOIC (0.154", 3.90mm Width)
For the pricing/inventory/lead time, please contact
us
Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



IR2154S Specifications

ManufacturerInfineon TechnologiesCategoryIntegrated Circuits (ICs)PackagePMIC - Gate DriversPackage8-SOIC (0.154", 3.90mm Width)Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-High Side Voltage - Max (Boostrap)600VRise / Fall Time (Typ)Sons, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / CaseSolC (0.154", 3.90mm Width)		
CategoryIntegrated Circuits (ICs)PackagePMIC - Gate DriversPackage8-SOIC (0.154", 3.90mm Width)Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Manufacturer Part Number	IR2154S
PMIC - Gate DriversPackage8-SOIC (0.154", 3.90mm Width)Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)Sons, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Manufacturer	Infineon Technologies
Package8-SOIC (0.154", 3.90mm Width)Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Category	Integrated Circuits (ICs)
Series-Driven ConfigurationHalf-BridgeChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)		PMIC - Gate Drivers
Driven ConfigurationHalf-BridgeDriven ConfigurationSynchronousChannel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)Sons, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Package	8-SOIC (0.154", 3.90mm Width)
Channel TypeSynchronousNumber of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)-55°C ~ 150°C (TJ)Operating TemperatureSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Series	-
Number of Drivers2Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Driven Configuration	Half-Bridge
Gate TypeN-Channel MOSFETVoltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)Sons, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Channel Type	Synchronous
Voltage - Supply10 V ~ 15.6 VLogic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Number of Drivers	2
Logic Voltage - VIL, VIH-Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Gate Type	N-Channel MOSFET
Current - Peak Output (Source, Sink)-Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Voltage - Supply	10 V ~ 15.6 V
Input TypeRC Input CircuitHigh Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Logic Voltage - VIL, VIH	-
High Side Voltage - Max (Bootstrap)600VRise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Current - Peak Output (Source, Sink)	-
Rise / Fall Time (Typ)80ns, 45nsOperating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Input Type	RC Input Circuit
Operating Temperature-55°C ~ 150°C (TJ)Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	High Side Voltage - Max (Bootstrap)	600V
Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Rise / Fall Time (Typ)	80ns, 45ns
Package / Case8-SOIC (0.154", 3.90mm Width)Supplier Device Package8-SOIC	Operating Temperature	-55°C ~ 150°C (TJ)
Supplier Device Package 8-SOIC	Mounting Type	Surface Mount
	Package / Case	8-SOIC (0.154", 3.90mm Width)
Report errors?	Supplier Device Package	8-SOIC
		Report errors?

IR2154S Guarantees



If you have any question about IR2154S, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com