



ISO7221AD Information



For Reference Only

Part Number ISO7221AD

Manufacturer Texas Instruments

Category Isolators

Digital Isolators

DescriptionDGTL ISO 2.5KV GEN PURP 8SOIC**Package**8-SOIC (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ISO7221AD Specifications

| Manufacturer Part NumberISO7221ADManufacturerTexas InstrumentsCategoryIsolatorsDigital IsolatorsPackage8-SOIC (0.154", 3.90mm WSeries-TechnologyCapacitive CouplingTypeGeneral PurposeIsolated PowerNoNumber of Channels2Inputs - Side 1/Side 21/1Channel TypeUnidirectionalVoltage - Isolation2500Vrms | |
|---|----------------|
| Category Isolators Digital Isolators Package 8-SOIC (0.154", 3.90mm W Series - Technology Capacitive Coupling Type General Purpose Isolated Power No Number of Channels Inputs - Side 1/Side 2 Channel Type Unidirectional | |
| Package 8-SOIC (0.154", 3.90mm W Series - Technology Capacitive Coupling Type General Purpose Isolated Power No Number of Channels 2 Inputs - Side 1/Side 2 1/1 Channel Type Unidirectional | |
| Package 8-SOIC (0.154", 3.90mm W Series - Technology Capacitive Coupling Type General Purpose Isolated Power No Number of Channels 2 Inputs - Side 1/Side 2 1/1 Channel Type Unidirectional | |
| Series - Technology Capacitive Coupling Type General Purpose Isolated Power No Number of Channels 2 Inputs - Side 1/Side 2 1/1 Channel Type Unidirectional | |
| Technology Type General Purpose Isolated Power No Number of Channels Inputs - Side 1/Side 2 Channel Type Channel Type Capacitive Coupling General Purpose 10 11 12 11 11 11 11 11 11 11 11 11 11 11 | Vidth) |
| Type General Purpose Isolated Power No Number of Channels 2 Inputs - Side 1/Side 2 1/1 Channel Type Unidirectional | |
| Isolated PowerNoNumber of Channels2Inputs - Side 1/Side 21/1Channel TypeUnidirectional | |
| Number of Channels2Inputs - Side 1/Side 21/1Channel TypeUnidirectional | |
| Inputs - Side 1/Side 2 1/1 Channel Type Unidirectional | |
| Channel Type Unidirectional | |
| 71 | |
| Voltage - Isolation 2500Vrms | |
| | |
| Common Mode Transient Immunity (Min) 25kV/µs | |
| Data Rate 1Mbps | |
| Propagation Delay tpLH / tpHL (Max) 475ns, 475ns | |
| Pulse Width Distortion (Max) 14ns | |
| Rise / Fall Time (Typ) 1ns, 1ns | |
| Voltage - Supply $3 \text{ V} \sim 5.5 \text{ V}$ | |
| Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ | |
| Package / Case 8-SOIC (0.154", 3.90mm W | Vidth) |
| Supplier Device Package 8-SOIC | |
| | Report errors? |

ISO7221AD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ISO7221AD Payment Methods



















ISO7221AD Shipping Methods













If you have any question about ISO7221AD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com