

J20-0116NL Information

Heisener.com

Part Number J20-0116NL

ManufacturerPulse Electronics NetworkCategoryConnectors, Interconnects

Modular Connectors - Jacks With Magnetics

Description CONN MAGJACK 16PORT 100 BASE-TX

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









J20-0116NL Specifications

Manufacturer Part Number Manufacturer Pulse Electronics Network Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series PULSEJACK? J2 Connector Type RJ45 Number of Ports 16 Number of Rows 2 Applications Mounting Type Through Hole Orientation 90° Angle (Right) Termination Height Above Board LED Color Number of Cores per Jack Pulse Electronics Network Modular Connectors - Jacks With Magnetics - 10/100 Base-TX, Jacks With Magnetics 10/100 Base-TX, Jacks With Magnetics 10/100 Base-TX, Jacks With Magnetics - 8145 16 17 18 18 18 18 18 18 18 18 18
Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series PULSEJACK? J2 Connector Type RJ45 Number of Ports 16 Number of Rows 2 Applications 10/100 Base-TX, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack
Package-SeriesPULSEJACK? J2Connector TypeRJ45Number of Ports16Number of Rows2Applications10/100 Base-TX, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board1.005" (25.53mm)LED ColorGreen, Yellow - Green, YellowNumber of Cores per Jack4
Package - Series PULSEJACK? J2 Connector Type RJ45 Number of Ports 16 Number of Rows 2 Applications 10/100 Base-TX, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Series PULSEJACK? J2 Connector Type RJ45 Number of Ports 16 Number of Rows 2 Applications 10/100 Base-TX, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Connector TypeRJ45Number of Ports16Number of Rows2Applications10/100 Base-TX, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board1.005" (25.53mm)LED ColorGreen, Yellow - Green, YellowNumber of Cores per Jack4
Number of Ports16Number of Rows2Applications10/100 Base-TX, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board1.005" (25.53mm)LED ColorGreen, Yellow - Green, YellowNumber of Cores per Jack4
Number of Rows2Applications10/100 Base-TX, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board1.005" (25.53mm)LED ColorGreen, Yellow - Green, YellowNumber of Cores per Jack4
Applications 10/100 Base-TX, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Mounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board1.005" (25.53mm)LED ColorGreen, Yellow - Green, YellowNumber of Cores per Jack4
Orientation 90° Angle (Right) Termination Solder Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Termination Solder Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Height Above Board 1.005" (25.53mm) LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
LED Color Green, Yellow - Green, Yellow Number of Cores per Jack 4
Number of Cores per Jack 4
Chialina Chiala EMI Finance
Shielding Shielded, EMI Finger
Features Board Guide
Tab Direction Up and Down
Contact Material Phosphor Bronze
Contact Finish Gold
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$
Report errors

J20-0116NL Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

J20-0116NL Payment Methods



















J20-0116NL Shipping Methods













If you have any question about J20-0116NL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com