



J3006G21D Information

Heisener.com

Part Number J3006G21D

Manufacturer Pulse Electronics Network
Category Connectors, Interconnects

Modular Connectors - Jacks With Magnetics

Description CONN MAGJACK 1PORT 100 BASE-TX

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









J3006G21D Specifications

Manufacturer Part Number Manufacturer Pulse Electronics Network Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series PULSEJACK? J3 Connector Type RJ45 Number of Ports 1 Number of Rows Applications 10/100 Base-TX, AutoMDIX Mounting Type Orientation 90° Angle (Right) Termination Height Above Board LED Color Number of Cores per Jack 4
Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series PULSEJACK? J3 Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack
Modular Connectors - Jacks With Magnetics Package - Series PULSEJACK? J3 Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack Modular Connectors - Jacks With Magnetics - Surface With Magnetics RJ45 1 0.545" (13.84mm) Green - Yellow Number of Cores per Jack
Package - Series PULSEJACK? J3 Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Series PULSEJACK? J3 Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board LED Color Number of Cores per Jack 1 O/100 Base-TX, AutoMDIX Surface Mount 90° Angle (Right) Termination Solder 4
Number of Rows1Applications10/100 Base-TX, AutoMDIXMounting TypeSurface MountOrientation90° Angle (Right)TerminationSolderHeight Above Board0.545" (13.84mm)LED ColorGreen - YellowNumber of Cores per Jack4
Applications 10/100 Base-TX, AutoMDIX Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Mounting Type Surface Mount Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Termination Solder Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
Height Above Board 0.545" (13.84mm) LED Color Green - Yellow Number of Cores per Jack 4
LED Color Green - Yellow Number of Cores per Jack 4
Number of Cores per Jack 4
Shielding Shielded, EMI Finger
Features Board Guide
Tab Direction Up
Contact Material Phosphor Bronze
Contact Finish Gold
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$
Report error

J3006G21D Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

J3006G21D Payment Methods



















J3006G21D Shipping Methods













If you have any question about J3006G21D, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com